

SITE/S . EVALUATION FOR ON-SI NASTEWATER

APPLICANT NAME _____

DATE _____

| FACTORS | | PROFILES | | | | | | | | | | | | |
|---------------------------|-------------|----------|---|---|---|---|---|---|---|---|----|--|--|--|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | | | |
| LANDSCAPE POSITION | .1940 | | | | | | | | | | | | | |
| SLOPE (%) | .1940 | | | | | | | | | | | | | |
| HORIZON 1 DEPTH | | 0-48 | | | | | | | | | | | | |
| Texture Group | .1941(A)(1) | xc | | | | | | | | | | | | |
| Consistence | .1941 | | | | | | | | | | | | | |
| Structure | .1941(A)(2) | | | | | | | | | | | | | |
| Mineralogy | .1941(A)(3) | | | | | | | | | | | | | |
| HORIZON 2 DEPTH | | | | | | | | | | | | | | |
| Texture Group | .1941(A)(1) | | | | | | | | | | | | | |
| Consistence | .1941 | | | | | | | | | | | | | |
| Structure | .1941(A)(2) | | | | | | | | | | | | | |
| Mineralogy | .1941(A)(3) | | | | | | | | | | | | | |
| HORIZON 3 DEPTH | | | | | | | | | | | | | | |
| Texture Group | .1941(A)(1) | | | | | | | | | | | | | |
| Consistence | .1941 | | | | | | | | | | | | | |
| Structure | .1941(A)(2) | | | | | | | | | | | | | |
| Mineralogy | .1941(A)(3) | | | | | | | | | | | | | |
| HORIZON 4 DEPTH | | | | | | | | | | | | | | |
| Texture Group | .1941(A)(1) | | | | | | | | | | | | | |
| Consistence | .1941 | | | | | | | | | | | | | |
| Structure | .1941(A)(2) | | | | | | | | | | | | | |
| Mineralogy | .1941(A)(3) | | | | | | | | | | | | | |
| SOIL WETNESS | .1942 | | | | | | | | | | | | | |
| RESTRICTIVE HORIZON | .1944 | | | | | | | | | | | | | |
| SAPROLITE | .1943/1956 | | | | | | | | | | | | | |
| CLASSIFICATION | .1948 | | | | | | | | | | | | | |
| LONG TERM ACCEPTANCE RATE | .1955 | .6 | | | | | | | | | | | | |

2 MAR. 6

3x70

18-24

PLAN APPROVAL

PROJECT RAZOR USE SFD


BEDROOMS 3

Date 4-12-01 [Signature]

Zoning Administrator

Required Property Line Setbacks

| | Minimum | Actual |
|------------------|---------|--------|
| Front | 35' | 45' |
| Side | 10' | 17' |
| Corner | — | — |
| Rear | 25' | 65' |
| Nearest Building | 10' | — |



$$\begin{array}{r} 500 \\ 6 \overline{) 480} \\ \underline{40} \end{array}$$

$$\begin{array}{r} 270 \\ 3 \overline{) 810} \\ \underline{40} \end{array}$$

270