


SITE SOIL EVALUATION FOR ON SITE WASTEWATER

APPLICANT NAME _____

DATE _____

FACTORS		PROFILES									
		1	2	3	4	5	6	7	8	9	10
LANDSCAPE POSITION	.1940										
SLOPE (%)	.1940										
HORIZON 1 DEPTH		0-15	0-24	0-4	0-8						
Texture Group	.1941(A)(1)	SL	SL	SL	SL						
Consistence	.1941	VF	VF	VF	VF						
Structure	.1941(A)(2)	G	G	G	G						
Mineralogy	.1941(A)(3)	WSP	WSP	WSP	WSP						
HORIZON 2 DEPTH		15-29		4-70	8-30						
Texture Group	.1941(A)(1)	SC		SC	SC						
Consistence	.1941	VF		F	F						
Structure	.1941(A)(2)	SPK		SPK	SPK						
Mineralogy	.1941(A)(3)										
HORIZON 3 DEPTH											
Texture Group	.1941(A)(1)										
Consistence	.1941										
Structure	.1941(A)(2)										
Mineralogy	.1941(A)(3)										
HORIZON 4 DEPTH											
Texture Group	.1941(A)(1)										
Consistence	.1941										
Structure	.1941(A)(2)										
Mineralogy	.1941(A)(3)										
SOIL WETNESS	.1942	25"	0"	26"/24"	28"						
RESTRICTIVE HORIZON	.1944										
SAPROLITE	.1943/.1956										
CLASSIFICATION	.1948	UJ	US	UJ	US						
LONG TERM ACCEPTANCE RATE	.1955				.4						



County, to which the map or plat to which this certification is affixed meets all statutory requirements for recording.

(NOT TO SCALE)


Date 12/1/10

Review Officer *Greg C. Parshoff*

NOTE:
No More than Six Lots Allowed on an Easement.
Andrew H. Joyner
ANDREW H. JOYNER
PROFESSIONAL LAND SURVEYOR NO.2469

CL SR 1703 &
CL SR 1865
1340.46'
N29°37'31"E
12" County
Waterline

Existing 30' Easement
Along Farm Path



SR 1703 "RED HILL CHURCH ROAD" 60' R/W (Public)

Required Property Line Setbacks

Front	Side	Corner	Rear	Nearest Building
Actual 60'	11'	NA	143'	NA
5'	10'	00'	25'	10'

SITE PLAN APPROVAL
DISTRICT BA-30
#BEDROOMS 3 USE SFD
16 Jun 11
Andrew Bell
Spring Administrator

015
69
104

Scale = 1" = 100'

6" cover
12"
4x75
p-rod

