

IMPROVEMENT PERMIT

01-5-3380

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Weaver Dev. Co.

New Installation Septic Tank

Property Location: SR# 1141

Repairs Nitrification Line

Subdivision The Summit Lot # 28

Tax ID # _____ Quadrant # _____

Number of Bedrooms Proposed: 4 (35x68) Lot Size: .34 Ac

Basement with Plumbing: Garage: *Please note changes in house location*

Water Supply: Well Public Community

Distance From Well: 50 ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons


Subsurface Drainage Field No. of ditches 1 exact length of each ditch 240 ft. width of ditches 3 ft. depth of ditches 18" to 24" in.

French Drain Required: _____ Linear feet

Date: 11-30-01

This permit is subject to revocation if site plans or intended use change.

Signed: J. L. Waters
Environmental Health Specialist



STUB out Plumbing shallow where shown or pump may be required 18" to 24" Ditch Depth maintain all set Backs Do Not DRIVE OR PARK ON septic system

HARNETT COUNTY HEALTH DEPARTMENT
AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department, Improvement Permit # 18949. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. *This authorization will be invalid if ownership, site plans, or intended use change.*

Name Weaver Dev. Co Telephone # 630-2100
Address 1141
Property Location SR# 1141 Road Name _____
Subdivision The Summit Lot # 28 # Bedrooms Proposed 4 (35x68) Lot size .34 Ac

TYPE OF SYSTEM

New Installation [] Repair [] Septic Tank [] Nitrification Lines
 Conventional Other _____ [] Basement [] With Plumbing [] Without Plumbing
Water Supply: [] Well [] Public - Minimum Well Setback: 50 Ft.

NITRIFICATION FIELD SPECIFICATIONS

Number of fields 1 # of lines per field 2 Length of lines 240 Ft.
Width of ditches 3 ft. Depth of ditches 18.24 inches
French Drain: Linear feet required _____ Depth of gravel _____

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

Signature of Authorized Agent for Harnett County Joe Woods Date 11-30-01