

#01-5-3646

HARNETT COUNTY HEALTH DEPARTMENT

No 18648

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Michael DAVIS

New Installation Septic Tank

Property Location: SR# 1419 Avery Spence Rd

Repairs Nitrification Line

Subdivision T Gerald Howell Lot # 2

Tax ID # _____ Quadrant # _____

Number of Bedrooms Proposed: 3 Lot Size: .721

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 50' ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons


Subsurface Drainage Field No. of ditches 3 exact length of each ditch 100 ft. width of ditches 3 ft. depth of ditches 18-22 in.

French Drain Required: - Linear feet

Date: 1-2-01

This permit is subject to revocation if site plans or intended use change.

Signed: James E. Markant
Environmental Health Specialist



01-5-3646

ARNETT COUNTY HEALTH DEPARTMENT
AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department, Improvement Permit # 18648. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Michael DAVES Name 919-552-6958 Telephone #

180 Walter Allen Lane F.V. N.C. 27526 Address

1419 Property Location SR# Avery Spence Road Name

T. Gerald Howell Subdivision 2 Lot # 3 # Bedrooms Proposed .721 Lot size

TYPE OF SYSTEM

New Installation [] Repair [] Septic Tank [] Nitrification Lines
[] Conventional Other _____ [] Basement [] With Plumbing [] Without Plumbing
Water Supply: [] Well [] Public - Minimum Well Setback: _____ Ft.

NITRIFICATION FIELD SPECIFICATIONS

Number of fields 2 # of lines per field 3 Length of lines 100 Ft.
Width of ditches 3 ft. Depth of ditches 18.22 inches
French Drain: Linear feet required - Depth of gravel -

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

James E. Markant Signature of Authorized Agent for Harnett County 1-2-01 Date