
IMPROVEMENT PERMIT 02 - 5-3737

| Be it ordained by the Harnett County Board of Health as follows tion of any building at which a septic tank system is to be used for disp from the Harnett County Health Department." | Section III, Item B. "No Peosal of sewage without first o | erson shall begin construc- obtaining a written permit |
|---|---|---|
| Name: (owner) William Gilchrist | New Installation | Septic Tank |
| Property Location: SR# 1244 Bogic Landing Deive | Repairs | Nitrification Line |
| Subdivision Wayne FAIReloth | Lot | # 7 |
| Tax ID # | | |
| Number of Bedrooms Proposed: 4(40x45) | ot Size: 1.0 | |
| Basement with Plumbing: Garage: G | | |
| Water Supply: Well Public Community | | |
| Distance From Well:ft. | | |
| Following is the minimum specifications for sewage disposal sysfinal approval. Type of system: Conventional Other | tem on above captioned p | oroperty. Subject to |
| Size of tank: Septic Tank: 1000 gallons Pu | ımp Tank: gal | lons |
| Subsurface No. of exact length of each ditch 405 ft | | |
| French Drain Required: Linear feet | | |
| This permit is subject to revocation if site plans or intended use change. | 2-01-02 95 WARS Environmental Heal | th Specialist |
| DRIVE 32' | | <u>a</u> _ |
| 52 | (| 60 |
| | Post 15' | |
| 10 <u>3'</u> 43R | | 1 |
| | 118 | |
| 10 | | 93 |
| dy 10 | | |
| | 188 | |
| 160 10 | Repair | ρ |
| 110 | | |
| 1ax 369 | | |
| STUB out Plumbing Shallow 18 | "max Ditch O | kpths |
| Maintain All set Backs - Mul7 | meet onsite 1 | Before |
| Installing PARS Plumber M | rust STUB Our | + Phanbinz |
| high RAJ Shallow As possible And | AI Close To Fre | int coener" |
| AS POSSIBLE | | |

HAPNETT COUNTY HEALTH DEPAY MENT AUTHORIZATION TO CONSTRUCT

| e specifications describe This authorization ce. This authorization |
|---|
| |
| e# 893-1112 |
| |
| |
| ation Lines 🔀 |
| # |
| ,, |
| |
| ft. |
| |
| gallons |
| |
| 400 |
| |
| |
| n inspection by the nstalled according to as been issued. |
| 02 |
| a i |



the state of the s

100 Darion 1470 hat overf

N 6311-120

SITE/SC EVALUATION FOR ON-SITE WASTEWATER

APPLICANT NAME

DATE

| FACTORS | | PROFILES | | | | | | | | | |
|--------------------|-------------|-----------------|----------|---------------------------------------|--------------------|-------------|---|---------|-----|-----------------------------|--|
| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
| LANDSCAPE POSITION | .1940 | | | | · | | · | | | | |
| SLOPE (%) | .1940 | | | | | | | | | | |
| HORIZON 1 DEPTH | | 0186 | | | | | | | | | |
| Texture Group | .1941(A)(1) | ۲1, | | | | | | | | | |
| Consistence | .1941 | - | | | | | | <u></u> | | | |
| Structure | .1941(A)(2) | 1 | | | | | | | | | |
| Mineralogy | .1941(A)(3) | | | | | | | | | | |
| HORIZON 2 DEPTH | | 1230016 | | | | | | | | | |
| Texture Group | .1941(A)(1) | | | | | | | | | | |
| Consistence | .1941 | į | | | | | | | | | |
| Structure | .1941(A)(2) | į | | | | | | | | | |
| Mineralogy | | | | | | | | | | | |
| HORIZON 3 DEPTH | | 3336 | | | | | | | | | |
| Texture Group | .1941(A)(1) | 5c ₁ | | | | | | | | | |
| Consistence | .1941 | | | | | | | | | | |
| Structure | .1941(A)(2) | | , | | | | | | | | |
| Mineralogy | .1941(A)(3) | . 1. | | | | | | | | | |
| IORIZON 4 DEPTH | | | | , | | | | | | | |
| Texture Group | 1941(A)(1) | war ea [i= | | | | No. 411 | | | | | |
| Consistence | .1941 | | | , | 40, 10 | يونسي | | | | | |
| Structure | 1941(A)(2) | | | | | | | | | · | |
| Mineralogy | 1941(A)(3) | . | . p. arm | de production of the second | | rge vo | | | | | |
| OIL WETNESS | .1942 | ļ | | اردىغ ئىسىلاندىد. اردىغ ئىسىلاندىد | # | | | | • | | |
| ESTRICTIVE HORIZON | 1944 | | | man ng si ng sisang | | ~ . | | | 7 | 1 15 / 1 1.0 4 - 88 - 68 | |
| APROLITE | 1943/.1956 | | | 25 mi | - my gan ilanday a | , a secondo | | | , , | | |
| LASSIFICATION | 1948 | | | | م فرهي م | verg a | | · | | . I., 2 | |
| ONG TERM | | 7 | | : " | | | | | | | |
| CCEPTANCE RATE | 1955 | 3 | 1 | | | ŕ | |] | • | | |