

02-5-4870

HARNETT COUNTY HEALTH DEPARTMENT

No 19510

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) MATTHEW J LYON New Installation Septic Tank
Property Location: SR# 2045 ELLIOTT BRIDGE RD Repairs Nitrification Line

Subdivision _____ Lot # _____

Tax ID # _____ Quadrant # _____

Number of Bedrooms Proposed: 3 Lot Size: 3.2 AC

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 50 ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other _____

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons

Subsurface Drainage Field No. of ditches 3 exact length of each ditch 70 ft. width of ditches 3 ft. depth of ditches 24-32 in.


French Drain Required: _____ Linear feet

Date: 6/18/02

This permit is subject to revocation if site plans or intended use change.

Signed: _____
Environmental Health Specialist

DRAWING NTS



572' ↓
TO
SR 2045

* MAINTAIN ALL SETBACKS

* 3 LINES REQUESTED BY HOMEOWNER

HAI HART COUNTY HEALTH DEPARTMENT
AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department, Improvement Permit # 19510. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. *This authorization will be invalid if ownership, site plans, or intended use change.*

MATTHEW J. LYON 893-8462
Name Telephone #
2883 RAYNOR-MCLAMB RD LINDEN NC 28356
Address
2045 ELLIOTT BRIDGE RD
Property Location SR# Road Name
3 3.2ac
Subdivision Lot # # Bedrooms Proposed Lot size

TYPE OF SYSTEM

New Installation [] Repair Septic Tank Nitrification Lines
 Conventional Other _____ [] Basement [] With Plumbing [] Without Plumbing

Water Supply: Well [] Public - Minimum Well Setback: 50 Ft.
Septic Tank 1000 Pump Chamber _____


NITRIFICATION FIELD SPECIFICATIONS

Number of fields 1 # of lines per field 3 Length of lines 70 Ft.

Width of ditches 3 ft. Depth of ditches 24-32 inches

French Drain: Linear feet required _____ Depth of gravel _____

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.


Signature of Authorized Agent for Harnett County

6/18/02
Date