

SITE/SOIL EVALUATION FOR ON-SITE WASTEWATER

FACTORS		PROFILES									
		1	2	3	4	5	6	7	8	9	10
LANDSCAPE POSITION	.1940	L	L	L							
SLOPE (%)	.1940	2	2	2							
HORIZON 1 DEPTH		0-10									
TEXTURE GROUP	.1941(A)(1)	SL									
CONSISTENCE	.1941	PK									
STRUCTURE	.1941(A)(2)	GM									
MINERALOGY	.1941(A)(3)	N5M1									
HORIZON 2 DEPTH		10-18									
TEXTURE GROUP	.1941(A)(1)	SL									
CONSISTENCE	.1941	PK									
STRUCTURE	.1941(A)(2)	GM									
MINERALOGY	.1941(A)(3)	N5M5									
HORIZON 3 DEPTH		18-36									
TEXTURE GROUP	.1941(A)(1)	SC-CL									
CONSISTENCE	.1941	SI PKG									
STRUCTURE	.1941(A)(2)	SBK									
MINERALOGY	.1941(A)(3)	S5SP									
HORIZON 4 DEPTH											
TEXTURE GROUP	.1941(A)(1)										
CONSISTENCE	.1941										
STRUCTURE	.1941(A)(2)										
MINERALOGY	.1941(A)(3)										
SOIL WETNESS	.1942	36	36	36							
RESTRICTIVE HORIZON	.1944										
SAPROLITE	.1943/1956										
CLASSIFICATION	.1948										
LONG TERM ACCEPTANCE RANGE	.1955	.35	.4	.3							

PORTATION
WAYS
ROAD
RTIFICATION


BY: DAS
GINEER

1999

22-8 STARS
5X75-18-22

LEGIT SURLES
DB 1000, PG 11
DISTRICT RA30 USE SFD
20' UTILITY EASEMENT
BEDROOMS 3
Date _____
20' DRAINAGE/EASEMENT
165.00' Utility Administration

PC F, SLIDE
MAGNETIC N



Required Property Line Setbacks

	Minimum	Actual
Front	35	60
Side	75	35
Corner	DB 1088 PG 492	
Rear	25	210
Nearest Building	10	