

#03-5-5725

HARNETT COUNTY HEALTH DEPARTMENT

No 15536

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) DANIEL WALL BIDA INC

New Installation  Septic Tank

Property Location: SR#1403 HARNETT CENTRAL

Repairs  Nitrification Line

Subdivision PEAR MEADOW Lot # 12

Tax ID # \_\_\_\_\_ Quadrant # \_\_\_\_\_

Number of Bedrooms Proposed: 3 Lot Size: 1 acre

Basement with Plumbing:  Garage:

Water Supply:  Well  Public  Community

Distance From Well: 50' ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system:  Conventional  Other Pump to Conventional

Size of tank: Septic Tank: 1000 gallons Pump Tank: 1000 gallons


Subsurface Drainage Field No. of ditches 5 exact length of each ditch 70 ft. width of ditches 3 ft. depth of ditches 18-24 in.

French Drain Required: \_\_\_\_\_ Linear feet

Date: 10-25-02

This permit is subject to revocation if site plans or intended use change.

Signed: James C. Montague, Environmental Health Specialist



D Angelo Circle

#03-5-5725

HARNETT COUNTY HEALTH DEPARTMENT  
AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department, Improvement Permit # 15536. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Name DANIEL WALK BIRD INC Telephone # 919-427-1574  
919-552-9572

Address 60701 NAKINA DR F.V. N.C. 27526

Property Location SR# 1483 Road Name Harnett Central

Subdivision Pearl Meadow Lot # 12 # Bedrooms Proposed 3 Lot size 1.4 ac

TYPE OF SYSTEM

New Installation  Repair  Septic Tank  Nitrification Lines

Conventional Other Pump to conventional

Basement  With Plumbing  Without Plumbing

Water Supply:  Well  Public - Minimum Well Setback: \_\_\_\_\_ Ft.

Septic Tank 1800 Pump Chamber 1000

NITRIFICATION FIELD SPECIFICATIONS

Number of fields 2 # of lines per field 5 Length of lines 70 Ft.

Width of ditches 3 ft. Depth of ditches 18-24 <sup>max</sup> inches

French Drain: Linear feet required \_\_\_\_\_ Depth of gravel \_\_\_\_\_

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

Signature of Authorized Agent for Harnett County James E. Mansfield

Date 10-25-02