

SITE/SOIL EVALUATION FOR ON-SITE WASTEWATER


FACTORS		PROFILES												
		1	2	3	4	5	6	7	8	9	10			
LANDSCAPE POSITION	.1940													
SLOPE (%)	.1940													
HORIZON 1 DEPTH		0-12	→	0-48	→	→	→	→	→	→	→	→	→	→
TEXTURE GROUP	.1941(A)(1)	LS		SEL										
CONSISTENCE	.1941													
STRUCTURE	.1941(A)(2)													
MINERALOGY	.1941(A)(3)													
HORIZON 2 DEPTH		12-24	→											
TEXTURE GROUP	.1941(A)(1)	SEL												
CONSISTENCE	.1941													
STRUCTURE	.1941(A)(2)													
MINERALOGY	.1941(A)(3)													
HORIZON 3 DEPTH		24-36	→											
TEXTURE GROUP	.1941(A)(1)	SC												
CONSISTENCE	.1941													
STRUCTURE	.1941(A)(2)													
MINERALOGY	.1941(A)(3)													
HORIZON 4 DEPTH		frt												
TEXTURE GROUP	.1941(A)(1)													
CONSISTENCE	.1941													
STRUCTURE	.1941(A)(2)													
MINERALOGY	.1941(A)(3)													
SOIL WETNESS	.1942													
RESTRICTIVE HORIZON	.1944													
SAPROLITE	.1943/1956													
CLASSIFICATION	.1948													
LONG TERM ACCEPTANCE RANGE	.1955	.4	.4	.6	.6	.6	—	—	—	—	—	—	—	—

LTPR
x .5

1 x 306 240
18.24

✓

POND



PK Nails set
SR 1115 u

Scale
1" = 100'

anady Division
Tumbet 2000+187

Crestview Lakes Subd.

Buffalo Lake Road
(Public Dedicated)

Required Property Line Setbacks

	Minimum	Actual
Front	35	90
Side	10	15
Corner	20	30
Rear	25	200'
Nearest Building	10	45

Area Su	1.09
	- 0.07
	1.01
Area Su	1.08
	- 0.07
	1.01

