

IMPROVEMENT PERMIT

20760

HTE 04-5-86617

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) BRIAN HEATING New Installation Septic Tank
Property Location: SR# 1535 Mitchell Rd Repairs Nitrification Line

Subdivision H+12 Acres Lot # 8

Tax ID # _____ Quadrant # _____

Number of Bedrooms Proposed: 3 Lot Size: .55

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 50' ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other 25% Reducton System

Size of tank: Septic Tank: 1000 gallons Pump Tank: _____ gallons

Subsurface Drainage Field No. of ditches 3 exact length of each ditch 75 ft. width of ditches 3 ft. depth of ditches 18-22 in.


French Drain Required: - Linear feet

Date: 3-15-04

This permit is subject to revocation if site plans or intended use change.

Signed: James E. Markant
Environmental Health Specialist

SR1535 Mitchell RD



HARNETT COUNTY HEALTH DEPARTMENT
AUTHORIZATION TO CONSTRUCT

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Health Department, Improvement Permit # 20760. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. This authorization will be invalid if ownership, site plans, or intended use change.

Name BIZIAN HARRING Telephone# 814-9534

Address 164 Mae Byrd RD Lillington N.C. 27546

Property Location SR# 1535 Road Name Mitchell

Subdivision H+H Acres Lot # 8 # Bedrooms Proposed 3 Lot Size 155

TYPE OF SYSTEM

New Installation Repair Septic Tank Nitrification Lines
 Conventional Other 25% reduction system
 Basement With Plumbing Without Plumbing
Water Supply: Well Public Water Supply Minimum Well Setback: _____ Ft.
Septic Tank 1000 gal Pump Chamber _____ gal

NITRIFICATION FIELD SPECIFICATIONS

Number of fields 2 # of lines per field 3 Length of lines 75 Ft.
Width of ditches 3 ft. Depth of ditches 18-22 inches
French Drain: Linear feet required - Depth of gravel -

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

James E. Markland
Signature of Authorized Agent for Harnett County of Harnett

3-15-04
Date