

HTE 04-S-8786

IMPROVEMENT PERMIT

20671

Be it ordained by the Harnett County Board of Health as follows: Section III, Item B. "No Person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) Kent Pierce
Property Location: SR# 1141
 New Installation Septic Tank
 Repairs Nitrification Line

Subdivision Highland Forest Lot # 17

Tax ID # _____ Quadrant # _____

Number of Bedrooms Proposed: 3 (48x50) Lot Size: .36 ac

Basement with Plumbing: Garage:

Water Supply: Well Public Community

Distance From Well: 50 ft.

Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Type of system: Conventional Other Pump to Conventional

Size of tank: Septic Tank: 1000 gallons Pump Tank: 1000 gallons


Subsurface Drainage Field No. of 1 exact length 200 ft. width of 3 ft. depth of 18" 4 in. ditches

French Drain Required: _____ Linear feet

Date: 03-03-04

Signed: Jerry W. ...
Environmental Health Specialist

This permit is subject to revocation if site plans or intended use change.



188
Must onsite - may not require Pump. Plumbing to be snubbed out as high as possible

**HARNETT COUNTY DEPARTMENT OF PUBLIC HEALTH
AUTHORIZATION TO CONSTRUCT**

Authorization is hereby given to construct a wastewater system to the specifications described by Harnett County Department of Public Health, Improvement Permit # 20671. This authorization shall be valid for a period not to exceed five (5) years from the date of issuance. *This authorization will be invalid if ownership, site plans, or intended use change.*

Kurt Pierce
Name _____ Telephone # _____

Address _____

1141

Property Location SR# _____ Road Name _____
Highland Forest 17 3(48x50) .36ac
 Subdivision Lot # # Bedrooms Proposed Lot Size

TYPE OF SYSTEM

- New Installation [] Repair Septic Tank Nitrification Lines
 [] Conventional Other Photo Conv.
 [] Basement [] With Plumbing [] Without Plumbing

Water Supply: [] Well Public Water Supply Minimum Well Setback: 50 Ft.
 Septic Tank 1000 gal Pump Chamber 1000 gal

NITRIFICATION FIELD SPECIFICATIONS

Number of fields 1 # of lines per field 1 Length of lines 200 Ft.
 Width of ditches 3 ft. Depth of ditches 18.04 inches
 French Drain: Linear feet required _____ Depth of gravel _____

No wastewater system shall be covered or placed into use by any person until an inspection by the Harnett County Health Department has determined that the system has been installed according to the conditions of the Improvement Permit and that a valid Operations Permit has been issued.

Joe W. SRS _____ 03-03-04
 Signature of Authorized Agent for Harnett County Date