

Harnett County Health Department Water Sample Application

Most results are received within 7 business days.

*Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION
307 W. CORNELIUS HARNETT BLVD.
LILLINGTON, N.C. 27546
910-893-7547

NAME Keith Humphries AREA CODE & PHONE NUMBER 910 401 8104
MAILING ADDRESS 234 Darkwood Drive, Spring Lake NC 28390
PROPERTY ADDRESS 234 Darkwood Drive, Spring Lake NC 28390 STATE ROAD
SUBDIVISION NAME AND LOT NUMBER Anderson Creek Community

PURPOSE OF SAMPLE Doctor Requested Loan closing 30 AUG 18 Date of closing
 Personal Information Other _____

Types of Samples & Cost - Please make check payable to Harnett County Health Department

\$50.00 - Bacteriological (coliform and fecal absent or present) \$100.00 - Petroleum \$100.00 - Inorganic
 \$100.00 - Pesticides \$100.00 - Other

Type of Well: Drilled Bored Driven

Is there electricity? Yes No

How many outside spigots Location of spigots _____

Please give complete directions from the Health Department to the location.

Take Hwy 210 from Lillington (South) toward Spring Lake. Turn right on Bill Shaw Rd - follow to stop sign. Turn left onto Overhills Road - follow approx. 2 miles and turn right onto Archie St - follow 1/2 mile turn right onto Darkwood Dr.

In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well, or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the State Lab.

By signing this application I am confirming that the information given is correct.

Keith Humphries
Signature

25 July 18
Date

Office Use Only: Date of initial visit: _____ Return Visit _____ Date sample taken _____ Date re-sampled _____

Visible well construction: Yes No Approved _____ Unapproved _____