Harnett County Health Department Water Sample Application

Most results are received within 7 business days.

•Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION 307 W. CORNELIUS HARNETT BLVD. LILLINGTON, N.C. 27546 910-893-7547

| Brenda Powell | 9105144787 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|
| P.O. Box 884 | AREA CODE & PHONE NUMBER |
| MAILING ADDRESS 124 Woods Edge Ln Frwit | Burds Mill Rd |
| PROPERTY ADDRESS | STATE ROAD |
| SUBDIVISION NAME AND LOT NUMBER | |
| PURPOSE OF SAMPLE Doctor Requested Loan closin Personal Information Other | gDate of closing |
| Types of Samples & Cost - Please make check payable to Harnett County Health Department | |
| | • |
| \$50.00 - Bacteriological (coliform and fecal absent or present)\$10 | 0.00 – Petroleum\$100.00 – Inorganic 0.00 – Pesticides\$100.00 – Other |
| Type of Well. Drilled Bored Driven | |
| Electricity available? Yes No | |
| How many outside spigots? Location of spigots | |
| Please give complete directions from the Health Department to the location. 421 to 401 South through Bunnlevel after Bunnlevel P.O. 90 about 2 miles left on Byrds Mill Rd DASS | |
| Coungton Rd and right on Woods Edge In Doublewide with Blue | |
| In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well, | |
| or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how | |
| to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits | |
| are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the | |
| N. C. State Lab of Public Health, Raleigh, NC. | |
| By signing this application I am confirming that the information given is correct. | Jell 9/24/2018 |
| Office Use Only. Signature | Date |
| Visible well construction: Yes No Approved Unapproved Date sample taken | Date of initial visit Return Visit |
| Date 12-sampled | |