

EH 1810-0003

### Harnett County Health Department Water Sample Application

Most results are received within 7 business days.

\*Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION  
307 W. CORNELIUS HARNETT BLVD.  
LILLINGTON, N.C. 27546  
910-893-7547

Zachary Shean 910-984-6296  
NAME AREA CODE & PHONE NUMBER

327 Antioch Church rd Penn NC 28334  
MAILING ADDRESS

327 Antioch Church rd Penn NC 28334  
PROPERTY ADDRESS STATE ROAD

SUBDIVISION NAME AND LOT NUMBER

PURPOSE OF SAMPLE  Doctor Requested  Loan closing  Date of closing  
 Personal Information  Other Hurricane localized flooding

**Types of Samples & Cost – Please make check payable to: Harnett County Health Department**

\$50.00 – Bacteriological (coliform and fecal absent or present)  \$100.00 – Petroleum  \$100.00 – Inorganic  
 \$100.00 – Pesticides  \$100.00 – Other

Type of Well:  Drilled  Bored  Driven  
Electricity available?  Yes  No

How many outside spigots? 4 Location of spigots 1 on well  
1 @ 327 Antioch Church rd  
2 @ 333 Antioch Church rd

Please give complete directions from the Health Department to the location.  
4215 to Erwin, right on N 13<sup>th</sup> st 1.5 miles, Left on Iris Bryant rd  
for another 1-1.5 miles. turn left onto gravel driveway in between  
327 + 333 mailboxes. Go down gravel driveway through pillars well on left

In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well, or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the N. C. State Lab of Public Health, Raleigh, NC.

By signing this application I am confirming that the information given is correct.

[Signature] 10-5-18  
Signature Date

Office Use Only:  
Visible well construction:  Yes  No Approved  Unapproved  Date of initial visit: \_\_\_\_\_ Return Visit \_\_\_\_\_  
Date sample taken \_\_\_\_\_ Date re-sampled \_\_\_\_\_