

Harnett County Health Department Water Sample Application

Most results are received within 7 business days.

*Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION
307 W. CORNELIUS HARNETT BLVD.
LILLINGTON, N.C. 27546
910-893-7547

Paul E. Fowler 910-814-2395
NAME AREA CODE & PHONE NUMBER
950 US 401 S. Lillington, NC 27546
MAILING ADDRESS
Same
PROPERTY ADDRESS STATE ROAD
SUBDIVISION NAME AND LOT NUMBER

PURPOSE OF SAMPLE Doctor Requested Loan closing _____ Date of closing _____
 Personal Information Other Storm/Flooding

Types of Samples & Cost - Please make check payable to: Harnett County Health Department

\$50.00 - Bacteriological (coliform and fecal absent or present) \$100.00 - Petroleum \$100.00 - Inorganic
 \$100.00 - Pesticides \$100.00 - Other

Type of Well: Drilled Bored Driven

Is there electricity? Yes No

How many outside spigots 2 Location of spigots Rear + South side of house

Please give complete directions from the Health Department to the location.

South on US 401 toward Fayetteville. First house on right beyond city limits. Two story farmhouse

In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well, or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the State Lab.

By signing this application I am confirming that the information given is correct.

Paul E. Fowler 11-2-18
Signature Date

Office Use Only: Date of initial visit _____ Return Visit _____ Date sample taken _____ Date re-sampled _____

Visible well construction: Yes No Approved _____ Unapproved _____