Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: SUBDIVISION ISSUED TO: EXPANSION REPAIR Site Improvements required prior to Construction Authorization Issuance: NEW | Type of Structure: Proposed Wastewater System Type: ____ Projected Daily Flow: Number of Occupants: _____max Number of bedrooms: □ No Basement Yes May be required based on final location and elevations of facilities ☐ No Pump Required: Yes Five years Type of Water Supply: Community Public Well Distance from well _______feet Permit valid for: No expiration Permit conditions: ___ Date: Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. PROPERTY LOCATION: 377 Vic Keith Rd ISSUED TO: Denise Smith SUBDIVISION Buffalo Lakes LOT # 28/29 ■ Repair Facility Type: Existing SFD Expansion Basement? Yes X No Basement Fixtures? Yes ☐ No (Initial) Wastewater Flow: 240 GPD Type of Wastewater System** (See note below, if applicable) (Repair) Number of trenches Installation Requirements/Conditions Trench Spacing: _____ Feet on Center Exact length of each trench _____ Septic Tank Size gallons Soil Cover: _____inches Pump Tank Size _____gallons Trenches shall be installed on contour at a (Maximum soil cover shall not exceed Maximum Trench Depth of: 36" above the trench bottom) (Trench bottoms shall be level to +/-1/4" in all directions) Pump Requirements: ______ft. TDH vs. ____ Aggregate Depth: ______ inches above pipe Conditions: Curtain drain to be installed. See all specifications on site sketch WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is reduct to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Date: 3/8/2019 Authorized State Agent: Construction Authorization Expiration Date: 4/8/2019

HTF#	EH	1902-	0013
1111211			

Permit # _____

Harnett County Department of Public Health Site Sketch

ISSUED TO: DENTSE	PROPERTY LOCATON: 377 VICK SON 174 SUBDIVISION BUFFALO LAKE MANS (OLNGL TOLKSDORF) Date: 3	101 # <u>28/29</u>
Authorized State Agent:	Date:	* APPROX 110 OF CURS DRAIN, 36"-48" D # 6 mil PLASTIC ON D SIDE OF DRAIN BRING GRAKEL UP TO FROM SURFACE * DRAIN FLACCED * CALL WITH ANY QUE PRIOR TO INSTALLATION
	36" BODIN (T) 48" TANK - 1	
	VIC KGITH RO	

- * APPROX 110 OF CURTAIN DRAIN . 36" - 48" DEEP
- # 6 mil PLASTIC ON DOWNAUL SIDE OF DRAIN
- " BRING GRANEL UPTO 6" From SURFACE
- * DRAW FLACCED
- * CALL WITH ANY QUESTIONS PRIOR TO INSTALLATION