

**Improvement Permit**

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Alfred Sebile PROPERTY LOCATION: 1529 T. Ken Roberts Rd. (SR 2021)  
 SUBDIVISION \_\_\_\_\_ LOT # \_\_\_\_\_  
 NEW  REPAIR  EXPANSION  Site Improvements required prior to Construction Authorization Issuance:  
 Type of Structure: Ext Barn → Apartment  
 Proposed Wastewater System Type: 25% reduction Conventional  
 Projected Daily Flow: 240 GPD (state min.)  
 Number of bedrooms: 2 Number of Occupants: 4 max (state min.)  
 Basement  Yes  No  
 Pump Required:  Yes  No  May be required based on final location and elevations of facilities  
 Type of Water Supply:  Community  Public  Well Distance from well 100+ feet Permit valid for:  Five years  
 Permit conditions: \_\_\_\_\_  No expiration

Authorized State Agent: [Signature] Date: 03/26/2019 SEE ATTACHED SITE SKETCH  
 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

**Construction Authorization**

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Alfred Sebile PROPERTY LOCATION: 1529 T. Ken Roberts Rd. (SR 2021)  
 SUBDIVISION \_\_\_\_\_ LOT # \_\_\_\_\_  
 Facility Type: Ext Barn → Apartment  New  Expansion  Repair  
 Basement?  Yes  No Basement Fixtures?  Yes  No Conventional System  
 Type of Wastewater System\*\* 25% reduction system (Initial) Wastewater Flow: 240 GPD  
 (See note below, if applicable  (state min.)  
25% reduction system (Repair)

**Installation Requirements/Conditions**  
 Septic Tank Size 1000 gallons Number of trenches 4 or 3  
 Pump Tank Size \_\_\_\_\_ gallons Exact length of each trench 165 or 50 or 70 feet Trench Spacing: 3 Feet on Center  
 Trenches shall be installed on contour at a Soil Cover: 6 inches (import)  
 Maximum Trench Depth of: 14 inches (Maximum soil cover shall not exceed 36" above the trench bottom)  
 in all directions)  
 Pump Requirements: \_\_\_\_\_ ft. TDH vs. \_\_\_\_\_ GPM Aggregate Depth: NA inches below pipe  
 Conditions: 2006 min conventional w/ D-Box NA inches above pipe  
\*THREE (3) 7 FT OR FOUR (4) 5 FT NA inches total

**WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.**

\*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: \_\_\_\_\_ Date: \_\_\_\_\_

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: [Signature] Date: 03/26/2019  
ANDREW WARRIN Construction Authorization Expiration Date: 03/26/2024

HTE# EH1903-0002


Permit # 30495

# Harnett County Department of Public Health Site Sketch

ISSUED TO: Alfred Sebile PROPERTY LOCATOR: 1526 Titan Roberts Road (SR 2021)  
SUBDIVISION \_\_\_\_\_ LOT # \_\_\_\_\_

Authorized State Agent: [Signature] Date: 03/26/2019

TITAN ROBERTS ROAD  
454'



\* 200FT MIN CONVENTIONAL  
w/ D-BOX DISTRIBUTION

\* THREE (3) 70FT LINES  
OR FOUR (4)  
SOFT LINES

\* 14IN TRENCH w/  
GEO IMPORTED  
SOIL COVER  
REQUIRED

\* NO DRIVING OVER  
SEPTIC AREA

\* DUCTILE IRON OR  
DOT GRADE PIPE  
REQUIRED FOR  
SUPPLY LINE IF  
APPLICANT WISHES  
TO DRIVE OVER  
SUPPLY LINE

EXISTING  
SURVEYED  
SFD  
SEPTIC

S  
H  
E  
L  
T  
E  
R