

# Harnett County Health Department Water Sample Application

Most results are received within 7 business days.

\*Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION  
307 W. CORNELIUS HARNETT BLVD.  
LILLINGTON, N.C. 27546  
910-893-7547

669-4414 (Spence)

919-669-4323 (Sue)

NAME Spence Harrington AREA CODE & PHONE NUMBER

MAILING ADDRESS 2548 Cokesbury Rd, Fuquay Varina NC 27526

PROPERTY ADDRESS 2548 Cokesbury Rd, Fuquay Varina NC 27526 STATE ROAD

N/A

SUBDIVISION NAME AND LOT NUMBER

PURPOSE OF SAMPLE  Doctor Requested  Loan closing  Date of closing  
 Personal Information  Other

Types of Samples & Cost - Please make check payable to Harnett County Health Department

\$50.00 - Bacteriological (coliform and fecal absent or present)  \$100.00 - Petroleum  \$100.00 - Inorganic  
 \$100.00 - Pesticides  \$100.00 - Other

Type of Well:  Drilled  Bored  Driven

Is there electricity?  Yes  No

How many outside spigots 3 Location of spigots Beside Garage Door; front & back of house

← closest to well

Please give complete directions from the Health Department to the location.

401N to Christian Light Rd. (Turn Left)  
Go to Cokesbury Rd (Turn Right)  
House on Right (#2548)

In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well, or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the State Lab.

By signing this application I am confirming that the information given is correct.

Sue Harrington  
Signature Date

Office Use Only: Date of initial visit: \_\_\_\_\_ Return Visit \_\_\_\_\_ Date sample taken \_\_\_\_\_ Date re-sampled \_\_\_\_\_  
Visible well construction:  Yes  No Approved \_\_\_\_\_ Unapproved \_\_\_\_\_