

Harnett County Department of Public Health Improvement Permit

163 Errol Dr

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Kenneth Johnson PROPERTY LOCATION: on 1425 Ashe to SE New Path
 SUBDIVISION _____ LOT # _____
 NEW REPAIR EXPANSION
 Site Improvements required prior to Construction Authorization Issuance: _____
 Type of Structure: Rx SWIM
 Proposed Wastewater System Type: 25% RSD
 Projected Daily Flow: 240 GPD
 Number of bedrooms: 2 Number of Occupants: 4 max
 Basement Yes No
 Pump Required: Yes No May be required based on final location and elevations of facilities
 Type of Water Supply: Community Public Well Distance from well 50' feet
 Permit valid for: Five years No expiration
 Permit conditions: _____

Authorized State Agent: James E. Markham JR. RSHS Date: 2-26-21 SEE ATTACHED SITE SKETCH
 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization (Required for Building Permit)

163 Errol Dr

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Kenneth Johnson PROPERTY LOCATION: on 1425 Ashe Arc to SE New Path
 SUBDIVISION _____ LOT # _____
 Facility Type: Rx SWIM New Expansion Repair
 Basement? Yes No Basement Fixtures? Yes No
 Type of Wastewater System** _____ (Initial) Wastewater Flow: 240 GPD
 (See note below, if applicable)

25% RSD (Accepted) (Repair)
 Installation Requirements/Conditions
 Number of trenches 3
 Septic Tank Size 1000 gallons Exact length of each trench 67 feet Trench Spacing: 9 Feet on Center
 Pump Tank Size _____ gallons Trenches shall be installed on contour at a Soil Cover: 6 inches
 Maximum Trench Depth of: 20-1/8 inches (Maximum soil cover shall not exceed 36" above the trench bottom)
 in all directions
 Pump Requirements: _____ ft. TDH vs. _____ GPM Aggregate Depth: 6 inches below pipe
2 inches above pipe
 Conditions: System layout by construction + EHS - If Any Old System on LEWS ARE DUG INTO, JOB MUST STOP - FOR FURTHER EVAL.
12 inches total

WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.
 Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: James E. Markham JR. RSHS Date: 2-26-21
 Construction Authorization Expiration Date: 2-26-26

Application # EH1904-0003


Harnett County Department of Public Health Site Sketch

163 Enrol Dr

Property Location: 321425 Ashe Ave to SA New Path RD
Issued To: Keneth Johnson Subdivision _____ Lot # _____

Authorized State Agent: James E. Mankart ⁷⁸⁴⁹ Date: 7-26-21

* System layout by Contractor + EHS IF Any OLD System on Lines are DUG INTO, JOB must stop for further Eval.



Enrol Dr

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.