

Harnett County Health Department Water Sample Application

Most results are received within 7 business days.

*Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION
307 W. CORNELIUS HARNETT BLVD.
LILLINGTON, N.C. 27546
910-893-7547

Spence-919-669-4414

Spence + Sue Harrington Sue - 919-669-4323
NAME AREA CODE & PHONE NUMBER

2395 Cokesbury Rd, Fuquay-Varina NC 27526
MAILING ADDRESS

2395 Cokesbury Rd, Fuquay-Varina NC 27526
PROPERTY ADDRESS STATE ROAD

N/A
SUBDIVISION NAME AND LOT NUMBER

PURPOSE OF SAMPLE Doctor Requested Loan closing Date of closing
 Personal Information Other re-testing Zinc

Types of Samples & Cost - Please make check payable to Harnett County Health Department

\$50.00 - Bacteriological (coliform and fecal absent or present) \$100.00 - Petroleum \$100.00 - Inorganic
 \$100.00 - Pesticides \$100.00 - Other

Type of Well: Drilled Bored Driven

Is there electricity? Yes No

How many outside spigots 4 Location of spigots front, garage side, and back of house

Please give complete directions from the Health Department to the location.

401 N to Christian Light Rd - Turn left and follow
Christian Light Rd to Cokesbury Rd - Turn left and
go ~ 2.3 miles. Watch for white house #'s at gate.

* Call before coming so we can open gate.

In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well, or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the State Lab.

By signing this application I am confirming that the information given is correct.

Sue Harrington 6-7-19
Signature Date

Office Use Only: Date of initial visit: _____ Return Visit _____ Date sample taken _____ Date re-sampled _____
Visible well construction: Yes No Approved _____ Unapproved _____