

EH 1907-0002

### Harnett County Health Department Water Sample Application

Most results are received within 7 business days.  
\*Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION  
307 W. CORNELIUS HARNETT BLVD.  
LILLINGTON, N.C. 27546  
910-893-7547

Barbara B. Denise 919-499-5387  
NAME AREA CODE & PHONE NUMBER

1418 Buie Rd, Broadway, NC 27505  
MAILING ADDRESS

Same  
PROPERTY ADDRESS STATE ROAD

SUBDIVISION NAME AND LOT NUMBER

PURPOSE OF SAMPLE  Doctor Requested  Loan closing  Date of closing  
 Personal Information  Other

Types of Samples & Cost - Please make check payable to, Harnett County Health Department  
 \$50.00 - Bacteriological (coliform and fecal absent or present)  \$100.00 - Petroleum  \$100.00 - Inorganic  
 \$100.00 - Pesticides  \$100.00 - Other

Type of Well:  Drilled  Bored  Driven  
Is there electricity?  Yes  No  
How many outside spigots  Location of spigots 2

Please give complete directions from the Health Department to the location.  
Take McDougald road to Buie Road - turn  
down Buie Rd & take a left at  
1418 and my house is at end of dirt  
road

In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well, or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the State Lab.

By signing this application I am confirming that the information given is correct. Barbara B Denise  
Signature Date

Office Use Only: Date of initial visit: \_\_\_\_\_ Return Visit \_\_\_\_\_ Date sample taken \_\_\_\_\_ Date re-sampled \_\_\_\_\_  
Visible well construction:  Yes  No Approved \_\_\_\_\_ Unapproved \_\_\_\_\_