

### Harnett County Health Department Water Sample Application

Most results are received within 7 business days.  
\*Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION  
307 W. CORNELIUS HARNETT BLVD.  
LILLINGTON, N.C. 27546  
910-895-7547

Joseph and Kim Diaz 910-984-6501

---

NAME AREA CODE & PHONE NUMBER

276 Jernigan Rd Dunn NC 28334

---

MAILING ADDRESS

276 Jernigan Rd Dunn NC 28334

---

PROPERTY ADDRESS STATE ROAD

---

SUBDIVISION NAME AND LOT NUMBER

PURPOSE OF SAMPLE  Doctor Requested  Loan closing 9/30/19 Date of closing

Personal Information  Other

**Types of Samples & Cost** - Please make check payable to: Harnett County Health Department

\$50.00 - Bacteriological (coliform and fecal absent or present)  \$100.00 - Petroleum  \$100.00 - Inorganic

\$100.00 - Pesticides  \$100.00 - Other

Type of Well:  Drilled  Bored  Driven

Is there electricity?  Yes  No

How many outside spigots 6 Location of spigots 1 near well, 1 near pool, and 4 on Main House

Please give complete directions from the Health Department to the location.


Take 421 S to Hwy 301N, then turn left on Jernigan Rd about 2 Miles after Carlie C Grocery Store

---

on Hwy 301.

In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the State Lab.

By signing this application I am confirming that the information given is correct.


9/13/19

Signature Date

Office Use Only. Date of initial visit: \_\_\_\_\_ Return Visit \_\_\_\_\_ Date sample taken \_\_\_\_\_ Date re-sampled \_\_\_\_\_

Visible well construction:  Yes  No Approved \_\_\_\_\_ Unapproved \_\_\_\_\_