

Harnett County Health Department Water Sample Application

Most results are received within 7 business days.

*Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION
307 W. CORNELIUS HARNETT BLVD.
LILLINGTON, N.C. 27546
910-893-7547

JENNIS R. STONE 919-499-0493
NAME AREA CODE & PHONE NUMBER
385 Willette Lane CAMERON 28326
MAILING ADDRESS
JAME
PROPERTY ADDRESS STATE ROAD
SUBDIVISION NAME AND LOT NUMBER

PURPOSE OF SAMPLE Doctor Requested Loan closing _____ Date of closing _____
 Personal Information Other _____

Types of Samples & Cost - Please make check payable to: Harnett County Health Department

___ \$50.00 - Bacteriological (coliform and fecal absent or present) ___ \$100.00 - Petroleum \$100.00 - Inorganic
___ \$100.00 - Pesticides ___ \$100.00 - Other


Type of Well: ~~Drilled~~ ___ Bored Driven
Electricity available? Yes ___ No

How many outside spigots? 1 Location of spigots NEAR BACK DECK

Please give complete directions from the Health Department to the location.

24 To T Turn RIGHT 1/4 mile Turn Left onto Hillman Grave Rd. 4 miles Turn into Willette Lane STAY Left 2 House on Left (Blue Roof) WHITE VINYL

In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well, or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the N. C. State Lab of Public Health, Raleigh, NC.

By signing this application I am confirming that the information given is correct.  3-20-20
Office Use Only: Signature Date

Visible well construction: Yes ___ No Approved ___ Unapproved ___ Date of initial visit: _____ Return Visit _____
Date sample taken _____ Date re-sampled _____