

# Harnett County Department of Public Health

## Well Abandonment Permit Application

### APPLICANT INFORMATION

Randell Jones (336) 669-5079  
Applicant/Owner Phone Number  
5311 Turner Smith, Rd. Brown Summit, NC, 27214  
Street Address, City, State, Zip Code

### PROPERTY INFORMATION

Street Address 1089 Bud Hawkins Rd Subdivision/Lot #  
Parcel # 180 PIN #

### Directions to the Site

Travel North on I-95 from Intersection Hwy 421 in Dunn to Exit 71 Long Branch Rd, at end of exit ramp turn right and go approx 1/4 mile turn left on Bud Hawkins Rd

Brief description of the well location (ex. front yard, behind out building, front yard, etc.)

\*Please include a Site Plan of your property showing the location of the well. If the well is underground, it must be uncovered prior to the department's site visit.

### Please Complete the Following Information:

Date Well Was Constructed ? Grouted: Yes  No   
Above Ground  or Below Ground  Total Depth of Well 25  
Well Type: Drilled  Bored  Hand dug  Diameter 1 1/4 inches


I have thoroughly read and completed this Application and certify that the information provided herein is true, complete and correct to the best of my knowledge and is given in good faith. Representatives of the Harnett County Health Department and State Officials are granted right of entry to conduct necessary inspections to determine compliance with applicable rules.

*I understand that I am solely responsible for the proper identification and labeling of all property lines, underground utility lines, and making the site accessible so that a well can be properly constructed according to the permit.*

Randell Jones 3-23-20  
Property Owner's or Owner's Legal Representative Signature Required Date

If you have any questions please contact Environmental Health Division at 910-893-7547

Site Plan



Approx 25ft.



---

Bud Hawkins Road

---