
Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit

MILL MAD	RIY LOCATION: TOZOO INC 27 VV
	IVISIONLOT #
NEW ☐ REPAIR ☑ EXPANSION ☐	Site Improvements required prior to Construction Authorization Issuance:
Type of Structure: Existing SFD	
Proposed Wastewater System Type: 25% Reduction	
Projected Daily Flow: 360 GPD	
Number of bedrooms: 3 Number of Occupants: 6 max	
Basement 🔀 Yes 🔲 No	
Pump Required: Yes No May be required based on final location	
Type of Water Supply: Community Public Well Distance from	
Permit conditions:	No expiration
BALLIA DONG-T	Date: 7/17/2020 SEE ATTACHED SITE SKETCH
, , , , , , , , , , , , , , , , , , , ,	Date: 7/17/2020 SEE ATTACHED SITE SKETCH The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This
	hall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of
the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.	, , , , , , , , , , , , , , , , , , , ,
Construction	on Authorization
	for Building Permit)
with the attached system layout.	and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance
ISSUED TO: Melvin McRae	ROPERTY LOCATION: 10200 NC 27 W
S	UBDIVISION LOT #
Facility Type: Existing SFD New	Expansion 🗵 Repair
Basement? ✓ Yes No Basement Fixtures? ✓ Yes N	
Type of Wastewater System** 25% Reduction	(Initial) Wastewater Flow: 360 GPD
Type of Wastewater System** 25% Reduction	(Initial) Wastewater Flow: 360 GPD
(See note below, if applicable)	
(See note below, if applicable) 25% Reduction	(Repair)
(See note below, if applicable) 25% Reduction Installation Requirements/Conditions Number of trenches 3	(Repair)
(See note below, if applicable)	ench 75feet Trench Spacing: 9Feet on Center
(See note below, if applicable) 25% Reduction Installation Requirements/Conditions Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Trenches shall be instal	ench 75feet Trench Spacing: 9 Feet on Center led on contour at a Soil Cover: 6inches
(See note below, if applicable) 25% Reduction Installation Requirements/Conditions Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Fxact length of each tr Trenches shall be instal Maximum Trench Depth	ench 75 feet Trench Spacing: 9 Feet on Center led on contour at a Soil Cover: 6 inches of: 18-22 inches (Maximum soil cover shall not exceed
(See note below, if applicable) 25% Reduction Installation Requirements/Conditions Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Trenches shall be instal	ench 75 feet Trench Spacing: 9 Feet on Center led on contour at a Soil Cover: 6 inches of: 18-22 inches (Maximum soil cover shall not exceed
(See note below, if applicable) 25% Reduction Installation Requirements/Conditions Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Fxact length of each tr Trenches shall be instal Maximum Trench Depth	ench 75 feet Trench Spacing: 9 Feet on Center led on contour at a Soil Cover: 6 inches of: 18-22 inches (Maximum soil cover shall not exceed
(See note below, if applicable) 25% Reduction Installation Requirements/Conditions Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Frenches shall be instal Maximum Trench Depth (Trench bottoms shall be in all directions)	ench 75 feet Trench Spacing: 9 Feet on Center led on contour at a Soil Cover: 6 inches of: 18-22 inches (Maximum soil cover shall not exceed
(See note below, if applicable) 25% Reduction Installation Requirements/Conditions Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Frenches shall be instal Maximum Trench Depth (Trench bottoms shall be in all directions)	ench 75 feet Trench Spacing: 9 Feet on Center led on contour at a Soil Cover: 6 inches of: 18-22 inches (Maximum soil cover shall not exceed see level to +/-1/4" 36" above the trench bottom)
(See note below, if applicable) 25% Reduction Installation Requirements/Conditions Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Finance gallons Maximum Trench Depth (Trench bottoms shall be in all directions) Pump Requirements: ft. TDH vsGPM	ench 75 feet Trench Spacing: 9 Feet on Center led on contour at a of: 18-22 inches of level to +/-1/4" (Maximum soil cover shall not exceed 36" above the trench bottom) Aggregate Depth: inches above pipe
(See note below, if applicable) 25% Reduction Installation Requirements/Conditions Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Frenches shall be instal Maximum Trench Depth (Trench bottoms shall be in all directions)	ench 75 feet Trench Spacing: 9 Feet on Center led on contour at a of: 18-22 inches of level to +/-1/4" (Maximum soil cover shall not exceed 36" above the trench bottom) Aggregate Depth: inches above pipe
(See note below, if applicable) 25% Reduction Installation Requirements/Conditions Septic Tank Size 1000gallons Pump Tank Size 1000gallons Frenches shall be instal Maximum Trench Depth (Trench bottoms shall be in all directions) Pump Requirements:ft. TDH vsGPM Conditions: Tank and all septic must be 50' from well	ench 75 feet Trench Spacing: 9 Feet on Center led on contour at a of: 18-22 inches of level to +/-1/4" Aggregate Depth: inches inches of level to +/-1/4" Aggregate Depth: inches of level to +/-1/4" Aggregate Depth: inches above pipe inches total
(See note below, if applicable) 25% Reduction Installation Requirements/Conditions Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Frenches shall be instal Maximum Trench Depth (Trench bottoms shall be in all directions) Pump Requirements: ft. TDH vs GPM Conditions: Tank and all septic must be 50' from well WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PA	ench 75 feet Trench Spacing: 9 Feet on Center led on contour at a of: 18-22 inches of level to +/-1/4" Aggregate Depth: inches inches of level to +/-1/4" Aggregate Depth: inches of level to +/-1/4" Aggregate Depth: inches above pipe inches total
(See note below, if applicable) 25% Reduction Installation Requirements/Conditions Septic Tank Size 1000gallons Pump Tank Size 1000gallons Frenches shall be instal Maximum Trench Depth (Trench bottoms shall be in all directions) Pump Requirements:ft. TDH vsGPM Conditions: Tank and all septic must be 50' from well	ench 75 feet Trench Spacing: 9 Feet on Center led on contour at a of: 18-22 inches of level to +/-1/4" Aggregate Depth: inches inches of level to +/-1/4" Aggregate Depth: inches of level to +/-1/4" Aggregate Depth: inches above pipe inches total
See note below, if applicable 25% Reduction	ench 75
(See note below, if applicable) 25% Reduction Installation Requirements/Conditions Septic Tank Size 1000 gallons Pump Tank Size 1000 gallons Frenches shall be instal Maximum Trench Depth (Trench bottoms shall be in all directions) Pump Requirements: ft. TDH vs GPM Conditions: Tank and all septic must be 50' from well WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PA	ench 75
See note below, if applicable 25% Reduction	ench 75
See note below, if applicable 25% Reduction	ench 75
See note below, if applicable 25% Reduction	ench 75 feet Trench Spacing: 9 Feet on Center led on contour at a Soil Cover: 6 inches of: 18-22 inches (Maximum soil cover shall not exceed see level to +/-1/4" 36" above the trench bottom) Aggregate Depth: inches above pipe inches above pipe inches above pipe inches total RT OF SEPTIC SYSTEM OR REPAIR AREA. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
See note below, if applicable 25% Reduction	ench 75 feet Trench Spacing: 9 Feet on Center led on contour at a Soil Cover: 6 inches of: 18-22 inches (Maximum soil cover shall not exceed see level to +/-1/4" 36" above the trench bottom) Aggregate Depth: inches above pipe inches above pipe inches above pipe inches total RT OF SEPTIC SYSTEM OR REPAIR AREA. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This
See note below, if applicable	ench 75
See note below, if applicable 25% Reduction	ench 75 feet Trench Spacing: 9 Feet on Center led on contour at a Soil Cover: 6 inches of: 18-22 inches (Maximum soil cover shall not exceed see level to +/-1/4" 36" above the trench bottom) Aggregate Depth: inches above pipe inches above pipe inches above pipe inches total RT OF SEPTIC SYSTEM OR REPAIR AREA. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This

Harnett County Department of Public Health Site Sketch



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.

* All septic must be 50' from all purchs * May Need a pump due to plumbing from house and elevation