## Harnett County Department of Public Health

## Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: SUBDIVISION ISSUED TO: EXPANSION 🗍 REPAIR 🗌 NEW 🔲 Site Improvements required prior to Construction Authorization Issuance: Type of Structure: \_ Proposed Wastewater System Type: \_\_\_ Projected Daily Flow: \_ Number of Occupants: \_\_\_\_\_\_max Number of bedrooms: ☐ No Basement Yes ☐ No Pump Required: Yes May be required based on final location and elevations of facilities Type of Water Supply: Community Public Well Distance from well \_\_\_\_\_\_feet Permit valid for: Five years ■ No expiration Permit conditions: Date: SEE ATTACHED SITE SKETCH Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules . 1950, . 1952, . 1954, . 1955, . 1956, . 1957, . 1958 and . 1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Troy Schaeffer\_\_\_\_\_ PROPERTY LOCATION: 3026 DOCS Rd. Spring Lake (SR1116) SUBDIVISION ■ Repair Facility Type: SFD ☐ Expansion Basement Fixtures? | Yes Basement? Yes (Initial) Wastewater Flow: 360 Type of Wastewater System\*\* (See note below, if applicable ) TANK + D-Box Only (Repair) Installation Requirements/Conditions\_ Septic Tank Size 1000 gallons Exact length of each trench \_\_\_ Trench Spacing: \_\_\_\_\_ Feet on Center Soil Cover: \_\_\_\_\_inches Pump Tank Size \_\_\_\_\_gallons Trenches shall be installed on contour at a Maximum Trench Depth of: \_\_\_\_\_ inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. \_ \_\_ inches below pipe Aggregate Depth: \_\_\_\_\_\_\_\_\_inches above pipe Conditions: Replace septic tank and d-box, and reconnect to existing lines\_ WATER LINES (INCLUDING-IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: L understand the system type specified is different from the type specified on the application. L accept the specifications of this permit. Owner/Legal Representative Signature: \_ This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Date: <u>02-03-21</u> Authorized State Agent: Construction Authorization Expiration Date: 02-03-26

## Harnett County Department of Public Health Site Sketch

pperty Location: 3026 DOCS Roued To: Troy Schaeffer	Subdivision	Lot #
thorized State Agent:	eh Meens	Date: 02-03-21
		& NEW SEPTIC
	80' (2) Creis ring lines	* NEW D.BO
	Parch	
	25, 3B-House 50'	
	101	
s drawing is for illustrative (	ourposes only. System installation must meet all pe	rtinent laws, rules, and regulation