

Harnett County Health Department Water Sample Application

Most results are received within 7 business days.

*Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION
307 W. CORNELIUS HARNETT BLVD.
LILLINGTON, N.C. 27546
910-893-7547

Michael Weaver 919-282-2443
NAME AREA CODE & PHONE NUMBER
1710 Mathews Mill Pond Rd
MAILING ADDRESS
Angier NC 27501
PROPERTY ADDRESS STATE ROAD
SUBDIVISION NAME AND LOT NUMBER

PURPOSE OF SAMPLE Doctor Requested Loan closing Date of closing
 Personal Information Other

Types of Samples & Cost - Please make check payable to, Harnett County Health Department

\$50.00 - Bacteriological (coliform and fecal absent or present) \$100.00 - Petroleum \$100.00 - Inorganic
 \$100.00 - Pesticides \$100.00 - Other

Type of Well: Drilled Bored Driven
Electricity available? Yes No

How many outside spigots? 2 Location of spigots Front and back of House

Please give complete directions from the Health Department to the location.

TAKE 210 North towards Angier, turn right on Nathan Mathews Rd. Go to stop sign, turn left onto Mathews Millpond Rd, 1st house on the left.

In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well, or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the N. C. State Lab of Public Health, Raleigh, NC.

By signing this application I am confirming that the information given is correct.

Office Use Only.

[Signature] 2-24-21
Signature Date

Visible well construction: Yes No Approved Unapproved Date of initial visit: _____ Return Visit _____
Date sample taken _____ Date re-sampled _____