## Harnett County Department of Public Health

## Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 194 Reaves Rd. (NC 210 N.) ISSUED TO: Tanglewood Properties SUBDIVISION Piney Grove MHP NEW | REPAIR X Site Improvements required prior to Construction Authorization Issuance: Type of Structure: 3-Bedroom SWMH Proposed Wastewater System Type: 25% Reduction Sys. Projected Daily Flow: 360 Number of bedrooms: 3 Number of Occupants: 6 Basement Yes Pump Required: XYes ☐ No May be required based on final location and elevations of facilities Type of Water Supply: Community Public Well Distance from well NA feet X Five years Permit valid for: Permit conditions: ■ No expiration The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958 and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Tanglewood Properties PROPERTY LOCATION: 194 Reaves Rd. (NC 210 N.) SUBDIVISION Piney Grove MHP Facility Type: 3-Bedroom SWMH Expansion Basement? Yes ☐ No Basement Fixtures? Yes Type of Wastewater System\*\* Not Applicable (Initial) Wastewater Flow: 360 GPD (See note below, if applicable ) 25% Reduction System Number of trenches 4 Installation Requirements/Conditions Septic Tank Size Ext. Exact length of each trench 60 gallons Trench Spacing: 9 Feet on Center Pump Tank Size 1000 gallons Trenches shall be installed on contour at a Soil Cover: 12 Maximum Trench Depth of: 24 (Maximum soil cover shall not exceed inches (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ft. TDH vs. \_\_ inches below pipe Aggregate Depth: NA inches above pipe Conditions: Pump to Medium D-Box Equal Distribution NA \_\_ inches total WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. \*\*If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: Date: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the lawrand Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent:

Construction Authorization Expiration Date:


ANDREW CURIN

## Harnett County Department of Public Health Site Sketch

Property Location: 194 Reaves Rd. (NC 210 N.)			
Issued To: Tanglewood Properties	Subdivision Piney Grove MHP		Lot #
	man (conse	Date: _	03/16/2021

\* WATER LINE SHALL BE RELOCATED AROUND STSTEM

\* FEXT TANK MAT BE USED W/ SANTAND TEE ADDED



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.