Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: ISSUED TO: MOISIVIGALIS REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance: NEW | Type of Structure: Proposed Wastewater System Type: Projected Daily Flow: __ Number of bedrooms: Number of Occupants: ______max Basement Yes May be required based on final location and elevations of facilities Pump Required: Yes ☐ No Type of Water Supply: Community Public Well Distance from well _______feet Permit valid for: Five years No expiration Authorized State Agent:: The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958 and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. ISSUED TO: Bernes McLean PROPERTY LOCATION: 11 Sandhills Ct (SR2036) SUBDIVISION Facility Type: SWMH (15' x 67') X Repair Expansion Basement Fixtures? | Yes Basement? Yes ✓ No (Initial) Wastewater Flow: _____ GPD Type of Wastewater System** (See note below, if applicable) 25% reduction Number of trenches 2 Installation Requirements/Conditions Exact length of each trench 90 Septic Tank Size 1000 gallons Trench Spacing: 9 Feet on Center Pump Tank Size _____ Soil Cover: 6 gallons Trenches shall be installed on contour at a Maximum Trench Depth of: 18" - 24" (Maximum soil cover shall not exceed inches (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) Pump Requirements: ______ft. TDH vs. _____ inches below pipe Aggregate Depth: ______ inches above pipe inches total Conditions: WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH Authorized State Agent: Date: 05-07-21 Construction Authorization Expiration Date: 05-07-26

Harnett County Department of Public Health Site Sketch

Property Location: 11 Sandh	hills Ct (SR2036)	
ssued To: Bernes McLean	Subdivision McLean MHP	Lot #
Authorized State Agent: _	Mah De pets	Date: <u>05-07-21</u>
30-50 90'- 90'- Drive		
	Mclean Chapel Church ad	

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.