

208 Old Hamilton Rd  
Dunn NC 28334

EH2106-0014  
Apn: 1506-46-1967.000

T COUNTY HEALTH DEPARTMENT

No 3389

IMPROVEMENT PERMIT

Be it ordained by the Harnett County Board of Health as follows:  
Section III, Item B. "No person shall begin construction of any building at which a septic tank system is to be used for disposal of sewage without first obtaining a written permit from the Harnett County Health Department."

Name: (owner) SHERWOOD R. ~~ADAMS~~ TART  New Installation  Septic Tank  
Property Location: Rt 4 Dunn  Repairs  Nitrification Line  
Box 1776

Number of Bedrooms Proposed: 3  Dish Washer  Garbage Disposal  
Lot Size: 115 X 200 Water Supply:  Well  City  Community  
Distance From Well?  100'

Above information certified by: Application


Following is the minimum specifications for sewage disposal system on above captioned property. Subject to final approval.

Kind of Material for Tank:  Concrete  Other \_\_\_\_\_

Size of Tank: Capacity 1000 Gallons  
Subsurface No. of 3 Exact Length 80 Width of 3 Depth of 26 Inches  
Drainage Field Ditches of each Ditch Ft. Ditches Ft. Ditches

Any Change in the layout of this system without prior approval of the issuing authority will result in this permit being void.  
Date: 10-6-87  
Signed: A. Gowen  
(SANITARIAN)

Void After 3 Years



DN CITY