Harnett County Department of Public Health

Improvement Permit

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 72 Green Acres Dr. (SR1280) ISSUED TO: Harrington Properties SUBDIVISION Site Improvements required prior to Construction Authorization Issuance: REPAIR 🗍 EXPANSION | Type of Structure: 60' x70 SFD Proposed Wastewater System Type: pump to 25% reduction Projected Daily Flow: 480 GPD Number of Occupants: 8 Number of bedrooms: 4 Basement Yes May be required based on final location and elevations of facilities Pump Required: XYes No Type of Water Supply: Community Public Well Distance from well ______feet ★ Five years Permit valid for: ■ No expiration Permit conditions: Date: 07-19-21 SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. **Construction Authorization** (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. PROPERTY LOCATION: 72 Green Acres Dr. (SR1280) ISSUED TO: Harrington Properties Facility Type: 60' x70 SFD Expansion ✓ New Basement Fixtures? Yes Basement? Yes No. Type of Wastewater System** pump to 25% reduction (Initial) Wastewater Flow: 480 (See note below, if applicable) pump to 25% reduction Number of trenches 1 Installation Requirements/Conditions Exact length of each trench 300 Septic Tank Size 1000 gallons Soil Cover: 6 Trenches shall be installed on contour at a Pump Tank Size 1000 gallons Maximum Trench Depth of: 18" - 24" inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) inches below pipe Pump Requirements: _____ft. TDH vs. _____GPM Curtain Drain required TO Divert latival ground _____ inches above pipe WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Date: Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: Date: 07-19-21 Construction Authorization Expiration Date: 07-19-26

Harnett County Department of Public Health Site Sketch

Authorized State Agent: Mar de po That de po The de	ssued To: Harrington Properties	Subdivision	Lot # 2
379.08 W 247.82.82 N Paper Ville 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			Date: 07-19-21
Here D		100 Moraline 100 Money 100	379,08'
Dro SR 1280		ARD STREET	

This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.