

Evaluation
 Re-evaluation _____
(number)

North Carolina Department of Environment and Natural Resources
Division of Environmental Health
**PREOCCUPANCY EVALUATION REPORT
OF DRINKING WATER SUPPLY AND
WASTEWATER FACILITIES FOR MIGRANT HOUSING**

On 1-23-23, as required in G.S. 95-225(c) and (d), an evaluation was conducted of the drinking water supply and wastewater system serving a migrant housing site composed of # of 1 Mobile home units, # of _____ House (s) and Other type of housing/describe: _____ located at 106 STANLEY + CORNELL LN (address or directions; use reverse if needed) Lillington N.C. 27546 and operated by Robert Curran (name of person(s)/company) of 883 Leaflet CH RD Lillington 27546 (mailing address)

PLEASE SUBMIT ONE REPORT FOR EACH SEPTIC SYSTEM

This report describes well/spring 0 and sewage system 1. (Use reverse for a drawing, if needed.)
(number) (number)

The findings of this evaluation are as follows:

WATER SUPPLY

Yes Community or non-transient-non-community water system under routine surveillance of Public Water Supply Section, (yes/no) Division of Environmental Health
NO Private Water or Non-Community System (yes/no)

At the time of inspection, there was not visual evidence of non-compliance with the "Protection of Water Supplies" (was/was not)

15A NCAC 18A .1700 (attach copy of bacteriological sample). List deficiencies which were identified:

(Use reverse if necessary)

WASTEWATER FACILITIES

System subject to approval under 15A NCAC 18A .1900, "Laws and Rules for Sewage Treatment and Disposal (subject/not subject) Systems." Explain, if not subject to approval _____

On-Site Septic Tank System Chemical Portable Toilets Others _____ Privy(ies) _____

At the time of inspection, there was not visual evidence of non-compliance with 15A NCAC 18A .1900 (including (was/was not) .1962) "Laws and Rules for Sewage Treatment and Disposal System." List deficiencies which were identified:

(Use reverse if necessary)

The wastewater system, to the best of my knowledge and belief, is sized to serve 6 people. (maximum number)

James E. Manahan JR 18AS
Environmental Health Specialist Harnett County Environmental Health Health Department

1-24-23
Date

307 W. Cornelius Harnett Blvd.
Address

Forward copies to: Migrant Housing Operator
Department of Labor
Agriculture Safety & Health Bureau

Lillington, NC 27546

910-893-7547

Office Phone Number