

[] Evaluation
[] Re-evaluation _____
(number)

North Carolina Department of Environment and Natural Resources
Division of Environmental Health
**PREOCCUPANCY EVALUATION REPORT
OF DRINKING WATER SUPPLY AND
WASTEWATER FACILITIES FOR MIGRANT HOUSING**

On 2-16-23, as required in G.S. 95-225(c) and (d), an evaluation was conducted of the drinking water supply and wastewater system serving a migrant housing site composed of # of 0 Mobile home units, # of 1 House (s) and

Other type of housing/describe: _____ located at 3309 Holly Springs Church Rd, Broadway NC 27505 and operated by Timothy C. Patterson of 114 Village Dr, Broadway NC 27505
(address or directions; use reverse if needed)
(name of person[s]/company)
(mailing address)

***** PLEASE SUBMIT ONE REPORT FOR EACH SEPTIC SYSTEM *****

This report describes well/spring 0 and sewage system 1. (Use reverse for a drawing, if needed.)
(number) (number)

The findings of this evaluation are as follows: County water

WATER SUPPLY

Yes Community or non-transient-non-community water system under routine surveillance of Public Water Supply Section, Division of Environmental Health
(yes/no)
No Private Water or Non-Community System
(yes/no)

At the time of inspection, there WAS NOT visual evidence of non-compliance with the "Protection of Water Supplies" (was/was not)
15A NCAC 18A .1700 (attach copy of bacteriological sample). List deficiencies which were identified:

(Use reverse if necessary)

WASTEWATER FACILITIES

System SUBJECT to approval under 15A NCAC 18A .1900, "Laws and Rules for Sewage Treatment and Disposal Systems." Explain, if not subject to approval _____

On-Site Septic Tank System [] Chemical Portable Toilets [] Others _____ [] Privy(ies) _____

At the time of inspection, there WAS NOT visual evidence of non-compliance with 15A NCAC 18A .1900 (including .1962) "Laws and Rules for Sewage Treatment and Disposal System." List deficiencies which were identified:

(Use reverse if necessary)

The wastewater system, to the best of my knowledge and belief, is sized to serve 4 people.
(maximum number)

Mohd REHS Environmental Health Specialist
2-16-23 Date
Harnett County Environmental Health Health Department
307 W. Cornelius Harnett Blvd. Address

Forward copies to: Migrant Housing Operator Department of Labor Agriculture Safety & Health Bureau
Lillington, NC 27546
910-893-7547 Office Phone Number