

Harnett County Department of Public Health Improvement Permit

A building permit cannot be issued with only an Improvement Permit

ISSUED TO: Errol + Kenia Barnett PROPERTY LOCATION: 511429 Chalybeate RD
 SUBDIVISION: Avery Pond LOT # 127
 NEW REPAIR EXPANSION Site Improvements required prior to Construction Authorization Issuance:
 Type of Structure: Ex SFD
 Proposed Wastewater System Type: Curtain Drain + Bern
 Projected Daily Flow: Ex GPD
 Number of bedrooms: Ex Number of Occupants: Ex max
 Basement Yes No
 Pump Required: Yes No May be required based on final location and elevations of facilities
 Type of Water Supply: Community Public Well Distance from well _____ feet Permit valid for: 1 YEAR
 Five years
 No expiration
 Permit conditions: _____

Authorized State Agent: James E. Manhart JR ZBAS Date: 7-31-23 SEE ATTACHED SITE SKETCH
 The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit.

Construction Authorization

(Required for Building Permit)

The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958, and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout.

ISSUED TO: Errol + Kenia Barnett PROPERTY LOCATION: 511429 Chalybeate RD
 SUBDIVISION: Avery Pond LOT # 127
 Facility Type: Ex SFD New Expansion Repair
 Basement? Yes No Basement Fixtures? Yes No
 Type of Wastewater System** Ex (Initial) Wastewater Flow: Ex GPD
 (See note below, if applicable Ex (Repair))

Installation Requirements/Conditions
 Septic Tank Size Ex gallons Number of trenches -
 Pump Tank Size Ex gallons Exact length of each trench _____ feet Trench Spacing: _____ Feet on Center
 Trenches shall be installed on contour at a _____ inches Soil Cover: _____ inches
 Maximum Trench Depth of: _____ inches (Maximum soil cover shall not exceed 36" above the trench bottom)
 (Trench bottoms shall be level to +/-1/4" in all directions)
 Pump Requirements: _____ ft. TDH vs. _____ GPM _____ inches below pipe
 Aggregate Depth: _____ inches above pipe
 Conditions: CURTAIN DRAIN + BERN TO BE INSTALLED
CURTAIN TO 4' DEEP WITH PLASTIC ON DOWNSLOPE SIDE

**WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA.
NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA.**

**If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit.

Owner/Legal Representative Signature: _____ Date: _____

This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. SEE ATTACHED SITE SKETCH

Authorized State Agent: James E. Manhart JR ZBAS Date: 7-31-23
 Construction Authorization Expiration Date: 7-31-24

Application # _____

Harnett County Department of Public Health Site Sketch


Property Location: 51429 Chalybeate TUD

Issued To: Errol + Kenni Barnett Subdivision Avery Pond

Lot # 127

Authorized State Agent: James E. Monahan JR. PHS

Date: 7-31-23



This drawing is for illustrative purposes only. System installation must meet all pertinent laws, rules, and regulations.