Harnett County Department of Public Health

Improvement Permit

App# <u>EH 2307-00</u>14 SK/1419 Apery Spences

A building permit cannot be issued with only an Improvement Permit PROPERTY LOCATION: 3164 Oaks: age River Rd, Fuguer Varing 27526 ISSUED TO: Geraldine True Love SUBDIVISION EXPANSION Site Improvements required prior to Construction Authorization Issuance: REPAIR -Type of Structure: Ext SFD Proposed Wastewater System Type: Projected Daily Flow: 360 Number of bedrooms: __ Number of Occupants: Basement Yes ☐ No May be required based on final location and elevations of facilities Pump Required: Yes Type of Water Supply: Community Public Well Distance from well feet Permit valid for: No expiration Permit conditions: SEE ATTACHED SITE SKETCH The issuance of this permit by the Health Department in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This site is subject to revocation if the enter plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to conditions of this permit. Construction Authorization (Required for Building Permit) The construction and installation requirements of Rules .1950, .1952, .1954, .1955, .1956, .1957, .1958. and .1959 are incorporated by references into this permit and shall be met. Systems shall be installed in accordance with the attached system layout. PROPERTY LOCATION: 3164 Oakridge River Rd, Figury Various ISSUED TO: Geraldine True Love Facility Type: Ext SFD Expansion Basement? Yes No Basement Fixtures? Yes (Initial) Wastewater Flow: 360 GPD Type of Wastewater System** (See note below, if applicable) Number of trenches Z Installation Requirements/Conditions Septic Tank Size 1000 Neighbors Pump Tank Size _____ Trenches shall be installed on contour at a Maximum Trench Depth of: 22-18 inches (Maximum soil cover shall not exceed (Trench bottoms shall be level to +/-1/4" 36" above the trench bottom) in all directions) inches below pipe Pump Requirements: ortrada do meet onstre prin Aggregate Depth: 2 inches above pipe WATER LINES (INCLUDING IRRIGATION) MUST BE 10FT. FROM ANY PART OF SEPTIC SYSTEM OR REPAIR AREA. NO UTILITIES ALLOWED IN INITIAL OR REPAIR DRAIN FIELD AREA. **If applicable: I understand the system type specified is different from the type specified on the application. I accept the specifications of this permit. Owner/Legal Representative Signature: This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be transferred when there is a change in ownership of the site. This SEE ATTACHED SITE SKETCH Construction Authorization is subject to compliance with the provisions of the Laws and Rules for Sewage Treatment and Disposal and to the conditions of this permit. Authorized State Agent: Construction Authorization Expiration Date: 2-14-29

Harnett County Department of Public Health Site Sketch

Property Location: 3164	Oakridge	River Rd, Fo	igual varina	, 27526	
Property Location: 3164 Issued To: Geral Line	True Love	Subdivision			Lot #
Authorized State Agent:	gnes	E Manh	A DE	Date: _	8-4-23
	Ext	Das man		2/4/9 Avey Space 120	DIGUPOIN AND Ryplack WITH NEW TANK
	<111418	DOLOTO	E PAUGO		