

Harnett County Health Department Water Sample Application

Most results are received within 7 business days.

*Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION
907 W. CORNELIUS HARNETT BLVD.
LILLINGTON, N.C. 27546
910-898-7547

NAME Teresa Walton AREA CODE & PHONE NUMBER 919 331 8066 919 291 0324

MAILING ADDRESS 761 Pope Lake Rd Angier NC 27501

PROPERTY ADDRESS 761 Pope Lake Rd Angier NC 27501 STATE ROAD _____

SUBDIVISION NAME AND LOT NUMBER _____

PURPOSE OF SAMPLE Doctor Requested Loan closing _____ Date of closing _____
 Personal Information Other retest

Types of Samples & Cost - Please make check payable to Harnett County Health Department

\$50.00 - Bacteriological (coliform and fecal absent or present) \$100.00 - Petroleum \$100.00 - Inorganic
 \$100.00 - Pesticides \$100.00 - Other

Type of Well: Drilled Bored Driven
Electricity available? Yes No

How many outside spigots? 1 Location of spigots next to well head

Please give complete directions from the Health Department to the location.


end of Pope Lake Rd Left onto gravel driveway
well is in front yard lakeside

In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the N. C. State Lab of Public Health, Raleigh, NC.

By signing this application I am confirming that the information given is correct.

Office Use Only.

Visible well construction: Yes No Approved Unapproved Date of initial visit: _____ Return Visit _____
Date sample taken _____ Date re-sampled _____



14 Nov 23
Date