

**HARNETT COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL HEALTH SECTION**

APPLICATION FOR MIGRANT HOUSING

Date Workers Arrive Feb 1 - March 1

Date 12-13-2023

NAME ~~XXXX~~ ~~XXXX~~ Lee Owen (919) 201-3377
MAILING ADDRESS 4599 Pine Grove Rd. Angier AREA CODE & PHONE NUMBER NC 27501
P.O. BOX OR STREET CITY/TOWN ZIP CODE

NUMBER OF WELLS 1 CHECK HERE IF COUNTY WATER
NUMBER OF SEPTIC SYSTEMS 1 OUTSIDE SPIGOT? YES NO

LOCATION OF OUTSIDE SPIGOT(S) Back Left of trailer house
COMMENTS CALL before checking water. Water is (off)!!

LIST BELOW EACH 911 CAMP ADDRESS AND THE NUMBER OF MIGRANTS PER HOUSING UNIT

<u>54 Camelia Rd Angier NC 27001</u>	NUMBER OF MIGRANTS <u>6</u>
_____	NUMBER OF MIGRANTS _____
_____	NUMBER OF MIGRANTS _____
_____	NUMBER OF MIGRANTS _____

DIRECTIONS FROM LILLINGTON TO THE CAMP turn in @ Watkins Farm Service Shop.
Drive @ around on left side and proceed down path
to house

The top of the existing septic tank must be completely uncovered. The lid must be loosened so a visual inspection can be made. If a well is to be tested and has been unused for a while, please chlorinate before you call our office to confirm. Once your well/septic is ready please let us know so we may process. Water samples can be taken Monday - Wednesday
*Holidays subject to alter these days.

Signature [Signature]

This certifies that all the above information is correct to the best of my knowledge and any false information will result in the denial of approval. The certification is subject to re-evaluation if the intended use or number of migrants changes.

----- OFFICE USE ONLY -----

PRIVY	<input type="checkbox"/> APPROVED	<input type="checkbox"/> UNAPPROVED
SEPTIC TANK	<input type="checkbox"/> APPROVED	<input type="checkbox"/> UNAPPROVED
WATER SUPPLY	<input type="checkbox"/> APPROVED	<input type="checkbox"/> UNAPPROVED

Environmental Health Specialist, R.E.H.S. _____ Date _____