

Harnett County Health Department Water Sample Application

Most results are received within 7 business days.

*Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION
307 W. CORNELIUS HARNETT BLVD.
LILLINGTON, N.C. 27546
910-895-7547

NAME Lisa Leigh Grandy (or Jennifer Nicole Bruce) daughter 334.406.9774 910-465-9384 cell
AREA CODE & PHONE NUMBER

MAILING ADDRESS 539 Valley Road Spring Lake NC 28390

PROPERTY ADDRESS 539 Valley Road Spring Lake NC 28390 STATE ROAD

SUBDIVISION NAME AND LOT NUMBER N/A 539 mail box number

PURPOSE OF SAMPLE Doctor Requested Loan closing Date of closing
 Personal Information Other

Types of Samples & Cost - Please make check payable to: Harnett County Health Department \$450.00

\$50.00 - Bacteriological (coliform and fecal absent or present) \$100.00 - Petroleum \$100.00 - Inorganic
 \$100.00 - Pesticides \$100.00 - Other

Type of Well: Drilled Bored Driven
Electricity available? Yes No

How many outside spigots? 2 Location of spigots Front yard near porch, back yard near AC unit.

Please give complete directions from the Health Department to the location.
• Turn Right onto N main Street in 2.1 miles • Turn Right on to NC-HW210. Continue for 12 miles, then Turn Right on to Valley Road for .5 miles. Then turn left ~~at~~ at 539 mailbox.

In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well, or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the N. C. State Lab of Public Health, Raleigh, NC.

By signing this application I am confirming that the information given is correct.

Signature Jennifer Bruce 2 Jan 2024 Date

Office Use Only.
Visible well construction: Yes No Approved Unapproved Date of initial visit: _____ Return Visit _____
Date sample taken _____ Date re-sampled _____