

Harnett County Health Department Water Sample Application

Most results are received within 7 business days.

*Some results may take 8 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION
307 W. CORNELIUS HARNETT BLVD.
LILLINGTON, N.C. 27546
910-893-7547

Zachary James Pittman (Buyer) (910) 747-0963
NAME AREA CODE & PHONE NUMBER

148 Willowcroft Court Dunn NC 28334
MAILING ADDRESS

4962 NC Highway 55E Erwin NC 28339
PROPERTY ADDRESS STATE ROAD

N/A
SUBDIVISION NAME AND LOT NUMBER

PURPOSE OF SAMPLE Doctor Requested Loan closing 2/13/2024 Date of closing
 Personal Information Other _____

Types of Samples & Cost - Please make check payable to Harnett County Health Department

\$50.00 - Bacteriological (coliform and fecal absent or present) \$100.00 - Petroleum \$100.00 - Inorganic
 \$100.00 - Pesticides \$100.00 - Other

Type of Well. Drilled Bored Driven

Electricity available? Yes No

How many outside spigots? 2 Location of spigots N/A

Please give complete directions from the Health Department to the location.

Take 421 toward Erwin. Turn left at CVS onto HWY 55
Go 1/2 mile turn left. You see Realtor Sign. Follow
Black paved to end (.4 mile). House is Rustic Brown Cedar

In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well, or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the N. C. State Lab of Public Health, Raleigh, NC.

By signing this application I am confirming that the information given is correct.

Office Use Only.

Visible well construction. Yes No Approved Unapproved Date of initial visit. _____ Return Visit _____

Date sample taken _____ Date re-sampled _____


Signature

1/22/24
Date