

# Harnett County Health Department Water Sample Application

Most results are received within 7 business days.

\*Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION  
307 W. CORNELIUS HARNETT BLVD.  
LILLINGTON, N.C. 27546  
910-895-7547

NAME: R & B Rhyme farm (REX RHYME) 919 749 8804  
AREA CODE & PHONE NUMBER

MAILING ADDRESS: 510 KIRK Adams Rd Angier, NC 27501

PROPERTY ADDRESS: SAME STATE ROAD

SUBDIVISION NAME AND LOT NUMBER

PURPOSE OF SAMPLE  Doctor Requested  Loan closing  Date of closing  
 Personal Information  Other

Types of Samples & Cost - Please make check payable to, Harnett County Health Department

\$50.00 - Bacteriological (coliform and fecal absent or present)  \$100.00 - Petroleum  \$100.00 - Inorganic  
 \$100.00 - Pesticides  \$100.00 - Other

Type of Well:  Drilled  Bored  Driven  
Electricity available?  Yes  No

How many outside spigots? 4 Location of spigots Around House & at Well house

Please give complete directions from the Health Department to the location.  
take 210 to Angier Turn Rt on 55 TURN Lft  
on McIVER which becomes BENSON Rd TURN Rt  
on KIRK Adams Rd → 510

In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the N. C. State Lab of Public Health, Raleigh, NC.

By signing this application I am confirming that the information given is correct.

Rex Rhyme April 15, 2024  
Signature Date

Office Use Only.  
Visible well construction:  Yes  No Approved  Unapproved  Date of initial visit: \_\_\_\_\_ Return Visit \_\_\_\_\_  
Date sample taken \_\_\_\_\_ Date re-sampled \_\_\_\_\_