Harnett County Health Department Water Sample Application

Most results are received within 7 business days.

*Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION 307 W. CORNELIUS HARNETT BLVD. LILLINGTON, N.C. 27546 910-898-7547

Lisa D Brewer/For Many Stephenson	919-880-7049
NAME	AREA CODE & PHONE NUMBER
1235 Landmarti Rd Willow Spring Nc 27592	E
1235 Landmari Re William Spring Spring	
3491 Abattoir Rd Angiu, No 27501	/552
PROPIERTY ADDRESS	STATE ROAD
Private Well SHEDIVISION NAME AND LOT NUMBER	
300 Million Communication Comm	Date of closing
PURPOSE OF SAMPLE Doctor Requested Loan closing	_Date of closing
Personal Information Other Prop For Sells.	, huse
Types of Samples & Cost - Please make check payable to Harnett County Health Department	
	125
\$50.00 - Bacteriological (coliform and fecal absent or present)\$100.00 - Petroleum	\$100.00 - Inorganic
\$100.00 - Pesticides	\$100.00 - Other
Type of Well. Drilled Bored Driven	
Electricity available? No	
How many putside spigots? 2 Location of spigots one on punp have one behing	d house by dech Steps
Please give complete directions from the Health Department to the location.	V
Him 421 toward Compall Cally left on to they 27 toward Co) at S
left off 29 onto Abottoir/Normye 3 miles down Abot	doir mobilition
on left well in front yord.	
On Jeff well in 1000 years	rine the removal of lids over the well
In order for a sample to be taken the well should be made visible to the inspector. This may req	not take a sample but advise you how
or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will	muster at that time If further visits
to protect the well. Once the well has met state requirements, re-apply and we will sample you	a wastle have been received from the
are necessary there will be an additional charge of \$25.00. You will be notified by mail once th	E ICHMIN ITATE POLITICALITY
N. C. State Lab of Public Health, Raleigh, NC.	
The state of the s	- 1 1
By signing this application I am confirming that the information given is correct.	8/21/224
Office Lies Only. Signature	Date
Visible well construction Yes No Approved Unapproved Date of initial visi	it Return Visit
Date ve semuled	