

Harnett County Health Department Water Sample Application

Most results are received within 7 business days.

*Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION
307 W. CORNELIUS HARNETT BLVD.
LILLINGTON, N.C. 27546
910-899-7547

NAME Janette Grammer-Adames AREA CODE & PHONE NUMBER 570-269-3569
MAILING ADDRESS 1949 Wade Stephenson Rd - Holly Springs NC 27540
PROPERTY ADDRESS 1949 Wade Stephenson Rd Holly Springs NC 27540 STATE ROAD _____
SUBDIVISION NAME AND LOT NUMBER _____

PURPOSE OF SAMPLE Doctor Requested Loan closing _____ Date of closing _____
 Personal Information Other after the tropical storm we had a plumber
out & they advised us to get our water
tested.

Types of Samples & Cost - Please make check payable to Harnett County Health Department

\$50.00 - Bacteriological (coliform and fecal absent or present) \$100.00 - Petroleum \$100.00 - Inorganic
 \$100.00 - Pesticides \$100.00 - Other

Type of Well: Drilled Bored Driven Not sure
Electricity available? Yes No

How many outside spigots? 2 Location of spigots Front of house by porch / back of house under the
back porch

Please give complete directions from the Health Department to the location.

If you are standing in front of the front door, just to the left of the
door (down by the edge of the porch) is the spigot.
The well is located in the little well house in front of the house, it is unlocked.

In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the N. C. State Lab of Public Health, Raleigh, NC.

By signing this application I am confirming that the information given is correct.

Office Use Only.

Visible well construction: Yes No Approved Unapproved Date of initial visit: _____ Return Visit _____
Date sample taken _____ Date re-sampled _____

Janette Grammer-Adames 8/30/24
Signature Date