

Harnett County Health Department Water Sample Application

Most results are received within 7 business days.

*Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION
307 W. CORNELIUS HARNETT BLVD.
LILLINGTON, N.C. 27546
910-899-7547

NAME Eric Julien AREA CODE & PHONE NUMBER 919-631-2439
MAILING ADDRESS 1490 Benson Rd Angier, NK 27501
PROPERTY ADDRESS Same as above STATE ROAD _____
SUBDIVISION NAME AND LOT NUMBER _____

PURPOSE OF SAMPLE Doctor Requested Loan closing _____ Date of closing _____
 Personal Information Other _____

Types of Samples & Cost - Please make check payable to Harnett County Health Department

\$50.00 - Bacteriological (coliform and fecal absent or present) \$100.00 - Petroleum \$100.00 - Inorganic
 \$100.00 - Pesticides \$100.00 - Other

Type of Well: Drilled Bored Driven
Electricity available? Yes No

How many outside spigots? 3 Location of spigots Sides of house + back of house

Please give complete directions from the Health Department to the location.

210 to Angier, Right on 55, Left on McIver, on Right Side 1.5 miles (Just before Guy Rd)

In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the N. C. State Lab of Public Health, Raleigh, NC.

By signing this application I am confirming that the information given is correct.

Office Use Only.

Visible well construction: Yes No Approved Unapproved Date of initial visit: _____ Return Visit _____
Date sample taken _____ Date re-sampled _____

[Signature]
Signature

8/30/2024
Date