

Harnett County Health Department Water Sample Application

Most results are received within 7 business days.

*Some results may take 3 weeks or longer to be analyzed

ENVIRONMENTAL HEALTH SECTION
307 W. CORNELIUS HARNETT BLVD.
LILLINGTON, N.C. 27546
910-899-7547

Marquesite Strand 910 584-5025

NAME AREA CODE & PHONE NUMBER

1040 Bethel Baptist Rd Spring Lake NC 28390

MAILING ADDRESS

1040 Bethel Baptist Rd Spring Lake NC 28390

PROPERTY ADDRESS STATE ROAD

SUBDIVISION NAME AND LOT NUMBER

PURPOSE OF SAMPLE Doctor Requested Loan closing Date of closing

Personal Information Other

Types of Samples & Cost - Please make check payable to: Harnett County Health Department

\$50.00 - Bacteriological (coliform and fecal absent or present) \$100.00 - Petroleum \$100.00 - Inorganic

\$100.00 - Pesticides \$100.00 - Other

Type of Well: Drilled Bored Driven

Electricity available? Yes No

How many outside spigots? 4 Location of spigots barns, at well

Please give complete directions from the Health Department to the location.

Hwy 210 south 12 miles south of Burger King
 turn left onto Bethel Baptist Rd. 1 mile
 on the right - call ahead for gate to be opened

In order for a sample to be taken the well should be made visible to the inspector. This may require the removal of lids over the well or lids and/or locks of pump houses. We also inspect your well, and if it is unapproved we will not take a sample, but advise you how to protect the well. Once the well has met state requirements, re-apply and we will sample your water at that time. If further visits are necessary there will be an additional charge of \$25.00. You will be notified by mail once the results have been received from the N. C. State Lab of Public Health, Raleigh, NC.

By signing this application I am confirming that the information given is correct.

Office Use Only.

Visible well construction: Yes No Approved Unapproved Date of initial visit: _____ Return Visit _____

Date sample taken _____ Date re-sampled _____

Marquesite Strand
Signature

9-22-24
Date