

**HARNETT COUNTY HEALTH DEPARTMENT  
ENVIRONMENTAL HEALTH SECTION**

**APPLICATION FOR MIGRANT HOUSING**

Date Workers Arrive Feb 14 2025

Date 1-13-25

NAME Trent Wilson

(919) 422 7064  
AREA CODE & PHONE NUMBER

MAILING ADDRESS 2807 Bensen Rd  
P.O. BOX OR STREET

Angier NC 27501  
CITY/TOWN ZIP CODE

NUMBER OF WELLS \_\_\_\_\_

CHECK HERE IF COUNTY WATER

NUMBER OF SEPTIC SYSTEMS 1

OUTSIDE SPIGOT?  YES  NO

LOCATION OF OUTSIDE SPIGOT(S) Front of house when you drive up

COMMENTS \_\_\_\_\_

**LIST BELOW EACH 911 CAMP ADDRESS AND THE NUMBER OF MIGRANTS PER HOUSING UNIT**

<u>2711 Bensen Rd Angier</u>	NUMBER OF MIGRANTS <u>28</u>
_____	NUMBER OF MIGRANTS _____
_____	NUMBER OF MIGRANTS _____
_____	NUMBER OF MIGRANTS _____

DIRECTIONS FROM LILLINGTON TO THE CAMP Take 210 to Angier to Hwy 55 turn right go south 3 blocks to Bensen Rd. turn left go 2.8 miles to Trent Wilson Farms sign turn left follow path to house on left

The top of the existing septic tank must be completely uncovered. The lid must be loosened so a visual inspection can be made. If a well is to be tested and has been unused for a while, please chlorinate before you call our office to confirm. Once your well/septic is ready please let us know so we may process. Water samples can be taken Monday - Wednesday \*Holidays subject to alter these days.

Signature Trent C Wilson

This certifies that all the above information is correct to the best of my knowledge and any false information will result in the denial of approval. The certification is subject to re-evaluation if the intended use or number of migrants changes.

----- OFFICE USE ONLY -----

PRIVY	<input type="checkbox"/> APPROVED	<input type="checkbox"/> UNAPPROVED
SEPTIC TANK	<input type="checkbox"/> APPROVED	<input type="checkbox"/> UNAPPROVED
WATER SUPPLY	<input type="checkbox"/> APPROVED	<input type="checkbox"/> UNAPPROVED

Environmental Health Specialist, R.E.H.S.

Date \_\_\_\_\_