

Owner: Fred Cummings Applicant:

Date Evaluated:

Design Flow (.1949): 360 GPD

Property Size:

Location of Site:

Property Recorded:

☐ Spring

Water Supply:

☒ Public ☐ Individual☐ Well☐ Spring☐ Other

Evaluation Method: ☒ Auger Boring

☐ Pit

☐ Cut☐ Mixed

Type of Wastewater:

☒ Sewage

☐ Industrial Process

☐ Mixed

Description	Initial System	Repair System	Other Factors (.1946):
Available Space (.1945)		<input checked="" type="checkbox"/>	Site Classification (.1948):
System Type(s)		<input checked="" type="checkbox"/>	Evaluated By: <i>MD RETH</i>
Site LTAR		<input checked="" type="checkbox"/>	Others Present:

COMMENTS: _____

LANDSCAPE POSITIONS	GROUP	TEXTURES	.1955 LTAR	CONSISTENCE MOIST	WET
R-RIDGE	I	S-SAND	1.2 - 0.8	VFR-VERY FRIABLE FR-FRIABLE	NS-NON-STICKY
S-SHOULDER SLOPE		LS-LOAMY SAND			SS-SLIGHTLY STICKY
L-LINEAR SLOPE	II	SL-SANDY LOAM	0.8 - 0.6	FI-FIRM VFI-VERY FIRM	S-STICKY
FS-FOOT SLOPE		L-LOAM			VS-VERY STICKY
N-NOSE SLOPE	III	SI-SILT	0.6 - 0.3	EFI-EXTREMELY FIRM	NP-NON-PLASTIC
H-HEAD SLOPE		SIL-SILT LOAM			SP-SLIGHTLY STICKY
CC-CONCLAVE SLOPE		CL-CLAY LOAM			P-PLASTIC
CV-CONVEX SLOPE		SCL-SANDY CLAY LOAM			VP-VERY PLASTIC
T-TERRACE	IV	SIC-SILTY CLAY	0.4 - 0.1		
FP-FLOOD PLAN		C-CLAY SC-SANDY CLAY			

STRUCTURE

SG-SINGLE GRAIN
M-MASSIVE
CR-CRUMB
GR-GRANULAR
SBK-SUBANGULAR BLOCKY
ABK-ANGULAR BLOCKY
PL-PLATY
PR-PRISMATIC

MINERALOGY

SLIGHTLY EXPANSIVE
EXPANSIVE

Show profile locations and other site features (dimensions, references or benchmark, and North)

