

**HARNETT COUNTY ENVIROMENTAL HEALTH**

File/Permit #: EH2510-0009

CDP #: \_\_\_\_\_

**IMPROVEMENT PERMIT (IP)**☐ New☐ Expansion☐ Repair☐ System Relocation☐ Change of Use

Owner: \_\_\_\_\_

Applicant: \_\_\_\_\_

Property Location: \_\_\_\_\_

PIN/Lot Identifier: \_\_\_\_\_

Subdivision: \_\_\_\_\_

Lot #: \_\_\_\_\_ Block: \_\_\_\_\_ Section: \_\_\_\_\_

Facility Type: \_\_\_\_\_ Number of bedrooms: \_\_\_\_\_ Number of Occupants: \_\_\_\_\_ Other: \_\_\_\_\_

Design Daily Flow: \_\_\_\_\_ GPD LTAR (Initial): \_\_\_\_\_ gpd/ft<sup>2</sup> LTAR (Repair): \_\_\_\_\_ gpd/ft<sup>2</sup>

Wastewater System Type: \_\_\_\_\_ (Initial)

Pump Required: ☐ Yes ☐ No ☐ May be required

Usable Depth to Limiting Condition (Initial): \_\_\_\_\_

Wastewater System Type: \_\_\_\_\_ (Repair)

Pump Required: ☐ Yes ☐ No ☐ May be required

Usable Depth to Limiting Condition (Repair): \_\_\_\_\_

Effluent Standard: ☐ DSE ☐ HSE ☐ Other: \_\_\_\_\_ Type of Water Supply: ☐ Private well ☐ Municipal Supply ☐ Other: \_\_\_\_\_

Permit conditions:

The issuance of this permit in no way guarantees the issuance of other permits. The permit holder is responsible for checking with appropriate governing bodies in meeting their requirements. This permit is subject to revocation if the site plan, plat, or the intended use changes. The Improvement Permit shall not be affected by a change in ownership of the site. This permit is subject to compliance with the provisions of 15A NCAC 18E and to the conditions of this permit.

Authorized Agent's Printed Name: Ren Levocz

Date: 11/05/2025

Authorized Agent's Signature: \_\_\_\_\_

Expiration Date: \_\_\_\_\_

**CONSTRUCTION AUTHORIZATION (CA)**☐ New☐ Expansion☒ Repair☐ System Relocation☐ Change of Use

Owner: EBENEZER PRESBYTERIAN CHURCH INC

Applicant: EBENEZER PRESBYTERIAN CHURCH INC

Property Location: 2900 EBENEZER CHURCH RD COATS, NC 27521

PIN/Lot Identifier: 1611-41-6459.000

Subdivision: \_\_\_\_\_

Lot #: TR#1 Block: \_\_\_\_\_ Section: \_\_\_\_\_

Facility Type: Church Number of bedrooms: 0 Number of Occupants: 125 Other: Max occupancy of 125. With a Full Kitchen

Design Daily Flow: 625 GPD LTAR: .375 gpd/ft<sup>2</sup>Effluent Standard: ☒ DSE ☐ HSE ☐ Other: \_\_\_\_\_ Type of Water Supply: ☐ Private well ☒ Municipal Supply ☐ Other: \_\_\_\_\_**Installation Requirements/Conditions**

Wastewater System Type: 25% Reduction System

Pump Required: ☒ Yes ☐ No ☐ May be required

Septic Tank Size: Ex. 1,000 gallons

Total Trench Length: 416' feet

Trench Spacing: 9' feet on center

Pump Tank Size: 1,250 gallons

Maximum Trench Depth: 22" to 19" inches

Soil Cover: 6" inches

Trench Width: 36" inches

Distribution Method: ☐ Serial☒ D-Box or Parallel☐ Pressure Manifold☐ Other: \_\_\_\_\_Artificial Drainage Required: Yes ☐ No ☒ If yes, please specify details: \_\_\_\_\_Management Entity Required: ☐ Yes ☒ No Minimum O&M Requirements: \_\_\_\_\_

Permit conditions:

Follow All Setbacks Listed on Site Sketch, Install Sleeve Over Supply Line as Instructed on Site Sketch.

The requirements of 15A NCAC 18E are incorporated by reference into this permit and shall be met. Systems shall be installed in accordance with the attached site sketch. This Construction Authorization is subject to revocation if the site plan, plat, or the intended use changes. The Construction Authorization shall not be affected by a change in ownership of the site. This Construction Authorization is subject to compliance with the provisions of 15A NCAC 18E, or 15A NCAC 18A .1900, as applicable, and to the conditions of this permit.

Authorized Agent's Printed Name: Ren Levocz

Date: 11/05/25

Authorized Agent's Signature: \_\_\_\_\_

Expiration Date: 11/05/2030

Owner/Legal Representative Signature: \_\_\_\_\_

Date: \_\_\_\_\_

**\*See attached site sketch**

# Harnett County Environmental Health

## SITE SKETCH

PIN 1611-41-6459.000

Permit Number EH2510-0009

EBENEZER PRESBYTERIAN CHURCH INC

TR#1

Applicant's Name

Subdivision/Section/Lot Number

Ren Levocz

11/05/2025

Authorized State Agent

Date

System components represent approximate contours only. The contractor must flag the system prior to beginning the installation to ensure that the proper grade is maintained.

Scale = NTS

\*Must use Ductile Iron or Double Walled Corrugated Pipe to sleeve Supply Line under Driving Area

