| 3/15/2021 | | | Napper Tandy Quote | | |
|--------------|---------------|---------------|--|--------------------------------|----------------|
| | Item | Qty | Description | Sell | Sell Total |
| | 19 | 1 ea | UNDERBAR SINK UNITS | \$713.58 | \$713.58 |
| | n= 242 | andele. | Serv-Ware Model No. BAR4B72-LR-CWP | | |
| | | | Underbar Sink, four compartment, 72"W x 18-3/4"D x 33"H, 18/304 stainless steel, 10" wide x 14" front-to-bac | | |
| (1) | N | • | 10" deep compartments, 13" drainboards on left & right, 3"H backsplash, (2) sets of 4" OC splash mount faucet | | |
| (4) | • | | holes, 20/304 stainless steel apron on front & sides, 1-1/2" drains, galvanized steel legs & side crossbracing wit adjustable bullet feet, NSF | п | |
| \mathbf{C} | | 3 ea | DTF4-8-CWP Faucet, splash-mounted, 8" swing spout 4" centers, for bar sinks, NSF | \$39.51 | \$118.53 |
| | | | OFP-8-CWP Overflow Pipe, 8", for bar sinks, NSF | \$10.37 | \$41.48 |
| | | | | ITEM TOTAL: | \$873.59 |
| • | 20 | 1 ea | WALK IN COOLER, MODULAR, SELF-CONTAINED | \$6,303.49 | \$6,303.49 |
| | e d | 550 | Kolpak Model No. QSX7-0808-CT | | |
| | 6 | 7.4 | Walk-in Cooler, Indoor Polar-Pak, 7'-3.75" H, 7'-9" W, 7'-9" L, floorless, medium temp (+38F) top mounted unit, | 26 | |
| 1 | | | ga. embossed galvalume interior & exterior, 1-1/2" vinyl/foam screeds, 2" dial thermometer, NSF, cUL, UL (Quid | k- | |
| (\cdot) | | - 4 | Ship) | | |
| | /Sport | 1 00 | NOTE: Units shipping to California, Washington, or Oregon are likely Seismic and require a Seismic Kit; seismic | | |
| U | | 1 64 | floorless units are not available for QuickShip or RapidShip lead time. Contact the factory for lead time. | | |
| | | 1 ea | 3/4-MT2 PC078T2, 3/4 hp, 115/60/1 Polar-Pak Series Refrigeration | | |
| | | | W-3/4 5 year compressor warranty (NET) | \$113.00 | \$113.00 |
| | | | 26" X 78" Door, std. | | |
| | | 1 ea | Door hinge to be specified | | |
| | | 1 ea | Freight Zone: 8 (AL, GA, KY, MS, NC, SC, TN) (NET) | \$350.00 | \$350.00 |
| | | 1 ea | Must select freight destination | | |
| | | | | ITEM TOTAL: | \$6,766.49 |
| | 21 | 1 ea | GAS FLOOR FRYER | \$1,251.02 | \$1,251.02 |
| | 10/100 | | Pitco Frialator Model No. 45C+S | | |
| | | | Fryer, gas, floor model, 42-50 lb. oil capacity, millivolt control, stainless steel tank, door & front, 122,000 BTU, C | SA | |
| | 3. To | | Flame, CSA Star, NSF | | |
| (3) | 1 | 1 | | | |
| (1) | | 1 ea | 1 year parts and labor warranty from the date of installation up to a maximum of 15 months from the date of | | |
| | | | manufacture (with appropriate documentation), standard | | |
| | | | Gas to be determined | | |
| | | 1 ea | P6072145 Basket, (2) oblong/twin size, 13-1/2" x 6-1/2" x 5-3/4" deep, long handle, regular mesh (shipped std | | |
| | | 4 | with models "T" SG14, SG14R, SSH55, SE14, SE14X, SE14B, SG14T, 35+, 45+, fryer batteries shipped with (1) per | | Ć100 14 |
| | | 1 50 | B3901501 Casters, 6" swivel, (2) locking & (2) non-locking, for economy, food/fish, donut fryers, (set of 4) | \$199.14 ITEM TOTAL: | \$199.14 |
| | 72 | 1 00 | CANDAGE / CALAD DECRADATION REDICEDATOR | | \$1,450.16 |
| | 23 | 1 ea | SANDWICH / SALAD PREPARATION REFRIGERATOR Atosa USA, Inc. Model No. MSF8304GR | \$2,338.91 | \$2,338.91 |
| | Manufacture (| 1 Annessadine | Atosa Sandwich/Salad Top Refrigerator, three-section, 72-7/10"W x 30"D x 44-3/10"H, includes (18) 1/6 stainles | ss | |
| | | | steel pans, rear-mounted, self-contained refrigeration, 21.1 cu. ft., (3) solid hinged self-closing doors, digital | | |
| | | desse. | temperature control, 33° to 40°F temperature range, (3) adjustable shelves, 10" poly cutting board, ventilated | | |
| | | | refrigeration, automatic evaporation, air defrost, stainless steel interior & exterior, galvanized steel back, 5" cas | ters, | |
| | | _ | R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 2.8 amps, cord, NEMA 5-15P, cETLus, ETL-Sanitation | | |
| | | | 2 year labor & parts warranty, 5 years warranty on compressor | | 4470.00 |
| | | 1 ea | MROS-6RE Overshelf, double, 72-5/8"W x 12-8/10"D x 33"H, sound deadened, adjustable, 18/430 stainless stee | I, NSF \$179.08 ITEM TOTAL: | \$179.08 |
| | 243 | 1 00 | FREIGHT & TAX | REW TOTAL | \$2,517.99 |
| | | 7.00 | Supplies on the Fly Model No. FREIGHT & TAX | | |
| | | | Freight and tax to be calculated and added (if applicable) once final selection of product is made. | | |
| | | | Sut | ototal | \$21,310.75 |
| | | | Tot | al | \$21,310.75 |
| | | | | | |

Prices Good Until: 04/07/2021

| _ | Item (| Qty | Description | Sell | Sell Tota |
|----------|--------|--|--|---|--|
| | 12 | 1 ea | UNDERCOUNTER REFRIGERATOR | \$1,063.37 | \$1,063.3 |
| | | 25,500 | Atosa USA, Inc. Model No. MGF8401GR | | |
| | | l | Atosa Undercounter Refrigerator, reach-in, one-section, 27-9/16"W x 30"D x 34-1/8"H, rear-mounted self-contain refrigeration, 7.15 cu. ft., (1) hinged solid door (specify hinging), digital temperature control, 33° to 40°F | leu | |
| | | | temperature range, (1) adjustable shelf, automatic evaporation, air defrost, stainless steel interior & exterior, | | |
| | | (C) | galvanized steel back, 2" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 115v/60/1-ph, 2.3 amps, cord, NEMA 5-1 | 5P, | |
| | | | cETLus, ETL-Sanitation, ENERGY STAR® | | |
| | | 1 ea | 2 year labor & parts warranty, 5 years warranty on compressor | | |
| | | 1 ea | Door hinged on right, standard | | |
| | | | | ITEM TOTAL: | \$1,063.3 |
| | 13 | 1 ea | HAND SINK | \$127.16 | \$127. |
| | | Ú. | Serv-Ware Model No. HS15S-CWP | | |
| | | | Hand Sink, wall mount, 14" wide x 10" front-to-back x 5-1/2" deep bowl, 7-3/4" backsplash, left & right side splashes, includes 4" gooseneck faucet with wrist blade handles, 1-1/2" basket strainer, mounting bracket includes | ed. | |
| | | | 18/304 stainless steel construction, NSF | , | |
| | | 1 | | | |
| | | 1 ea | 1 Year warranty, standard | ITEM TOTAL: | \$127. |
| | 14 | 1 ea | CHEESEMELTER, ELECTRIC | \$723.30 | \$723. |
| | | | Vollrath Model No. CM2-12026 | | |
| | < 133 | | Cheese Melter, countertop, electric, 26-1/4"W x 12-1/8"D x 11-3/8"H, adjustable shelf with (5) positions, 20-1/4" | 1 | |
| | | | product opening, quartz heaters, 15-minute timer, standby mode, stainless steel construction, 120v/60/1-ph, | | |
| | | o provide | 1.65kW, 13.8 amps, NEMA 5-15P, NSF, cULus, Made in USA (model JW2) | | |
| | | 1 ea | 2 year parts, 1 year labor warranty, standard | | |
| | | 1 ea | 351035 Wall mount bracket for Cheese Melters | \$70.20 | \$70. |
| | | | | ITEM TOTAL: | \$793. |
| - | 15 | 1 ea | EQUIPMENT STAND, REFRIGERATED BASE | \$1,562.44 | \$1,562 |
| | | | | | |
| | | 2.5 | Atosa USA, Inc. Model No. MGF8448GR | (2) | |
| | | 1 2 | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. | , (2) (2) | |
| | | | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes | (2) | |
| | - | | Atosa Chef Base, one-section, $35-5/8$ "W x 33 "D x $26-3/5$ "H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34 ° to 40 °F temperature range, includes $12 \times 20 \& \{6\}$ $1/6$ stainless steel pans, stainless steel interior & exterior, 5 " casters, 8290 Hydrocarbon refrigerant, | (2) | |
| | | | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes | (2) | \$1,562. |
| | 16 | 1 1 1 1 1 1 1 1 1 1 | Atosa Chef Base, one-section, $35-5/8$ "W x 33 "D x $26-3/5$ "H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34 ° to 40 °F temperature range, includes $12 \times 20 \& \{6\}$ $1/6$ stainless steel pans, stainless steel interior & exterior, 5 " casters, 8290 Hydrocarbon refrigerant, | (2) | |
| • | 16 | 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF | (2) ITEM TOTAL: \$1,333.33 | |
| ٠ | 16 | 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls ever | (2) ITEM TOTAL: \$1,333.33 | - |
| - | 16 | 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls ever 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, controls and controls ever 12". | (2) ITEM TOTAL: \$1,333.33 | - |
| - | 16 | 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls ever 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, corrections in the control of the contr | (2) ITEM TOTAL: \$1,333.33 | - |
| - | 16 | 9 | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls eve 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, circon broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP converstion kit) | (2) ITEM TOTAL: \$1,333.33 | - |
| | 16 | 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls ever 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, control broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP conversion kit) 2 year parts & labor warranty, standard | (2) ITEM TOTAL: \$1,333.33 | - |
| | 16 | 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls eve 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, circon broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP converstion kit) | (2) ITEM TOTAL: \$1,333.33 | \$1,333 |
| | 16 | 1 ea 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls ever 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, control broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP conversion kit) 2 year parts & labor warranty, standard | (2) ITEM TOTAL: \$1,333.33 Pry east | \$1,333 \$1,333 |
| | | 1 ea 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps, 115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls eve 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, or iron broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP converstion kit) 2 year parts & labor warranty, standard 180 day warranty on cast iron grates, burners, & burner shields, standard RANGE, 36", 6 OPEN BURNERS Southbend Model No. S36D | (2) ITEM TOTAL: \$1,333.33 Pry ast | \$1,333 \$1,333 |
| - | | 1 ea 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps, 115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls eve 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, or iron broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP converstion kit) 2 year parts & labor warranty, standard 180 day warranty on cast iron grates, burners, & burner shields, standard RANGE, 36", 6 OPEN BURNERS Southbend Model No. S36D S-Series Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) standard oven, snap action thermostat, | (2) ITEM TOTAL: \$1,333.33 Pry Past ITEM TOTAL: \$1,559.00 | \$1,333 \$1,333 |
| . | | 1 ea 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps, 115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls eve 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, or iron broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP converstion kit) 2 year parts & labor warranty, standard 180 day warranty on cast iron grates, burners, & burner shields, standard RANGE, 36", 6 OPEN BURNERS Southbend Model No. S36D S-Series Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) standard oven, snap action thermostat, removable cast Iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack, stainless steel front, | (2) ITEM TOTAL: \$1,333.33 Pry Past ITEM TOTAL: \$1,559.00 | \$1,333 \$1,333 |
| | | 1 ea 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps, 115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls eve 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, or iron broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP converstion kit) 2 year parts & labor warranty, standard 180 day warranty on cast iron grates, burners, & burner shields, standard RANGE, 36", 6 OPEN BURNERS Southbend Model No. S36D S-Series Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) standard oven, snap action thermostat, | (2) ITEM TOTAL: \$1,333.33 Pry Past ITEM TOTAL: \$1,559.00 | \$1,333 \$1,333 |
| | | 1 ea 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls ever 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, ciron broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP converstion kit) 2 year parts & labor warranty, standard 180 day warranty on cast iron grates, burners, & burner shields, standard RANGE, 36", 6 OPEN BURNERS Southbend Model No. S36D S-Series Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) standard oven, snap action thermostat, removable cast Iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 203,000 BTU, CSA, NSF | (2) ITEM TOTAL: \$1,333.33 Pry Past ITEM TOTAL: \$1,559.00 | \$1,333 \$1,333 |
| | | 1 ea 1 ea 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & {6} 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls eve 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, circn broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP converstion kit) 2 year parts & labor warranty, standard 180 day warranty on cast iron grates, burners, & burner shields, standard RANGE, 36", 6 OPEN BURNERS Southbend Model No. S36D S-Series Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) standard oven, snap action thermostat, removable cast Iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 203,000 BTU, CSA, NSF Domestic Shipping, inside of North America | (2) ITEM TOTAL: \$1,333.33 Pry Past ITEM TOTAL: \$1,559.00 | \$1,333 \$1,333 |
| | | 1 ea 1 ea 1 ea 1 ea 1 ea 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & {6} 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls ever 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, or iron broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP conversition kit) 2 year parts & labor warranty, standard 180 day warranty on cast iron grates, burners, & burner shields, standard RANGE, 36", 6 OPEN BURNERS Southbend Model No. S36D S-Series Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) standard oven, snap action thermostat, removable cast iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 203,000 BTU, CSA, NSF Domestic Shipping, inside of North America Standard one year limited warranty (range) Gas type to be specified | ITEM TOTAL: \$1,333.33 ITEM TOTAL: \$1,559.00 | \$1,333. \$1,333. \$1,559 |
| | | 1 ea 1 ea 1 ea 1 ea 1 ea 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & {6} 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls eve 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, ciron broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP converstion kit) 2 year parts & labor warranty, standard 180 day warranty on cast iron grates, burners, & burner shields, standard RANGE, 36", 6 OPEN BURNERS Southbend Model No. S36D S-Series Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) standard oven, snap action thermostat, removable cast Iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 203,000 BTU, CSA, NSF Domestic Shipping, inside of North America Standard one year limited warranty (range) | ITEM TOTAL: \$1,333.33 ITEM TOTAL: \$1,559.00 | \$1,562. \$1,333. \$1,333. \$1,559. \$250 \$1,809 |
| | 17 | 1 ea 1 ea 1 ea 1 ea 1 ea 1 ea 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & [6] 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps, 115v/60/1-ph, cord, NEMA 5-15P, CETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls eve 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, ciron broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP converstion kit) 2 year parts & labor warranty, standard 180 day warranty on cast iron grates, burners, & burner shields, standard RANGE, 36", 6 OPEN BURNERS Southbend Model No. 536D S-Series Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) standard oven, snap action thermostat, removable cast Iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 203,000 BTU, CSA, NSF Domestic Shipping, inside of North America Standard one year limited warranty (range) Gas type to be specified Casters, 2 locking & 2 standard, in lieu of legs | TEM TOTAL: \$1,333.33 Stry | \$1,333. \$1,333. \$1,559 \$250 \$1,809 |
| | | 1 ea 1 ea 1 ea 1 ea 1 ea 1 ea 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34" to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls eve 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, ciron broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP converstion kit) 2 year parts & labor warranty, standard 180 day warranty on cast iron grates, burners, & burner shields, standard RANGE, 36", 6 OPEN BURNERS Southbend Model No. S36D 5-Series Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) standard oven, snap action thermostat, removable cast Iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 203,000 BTU, CSA, NSF Domestic Shipping, inside of North America Standard one year limited warranty (range) Gas type to be specified Casters, 2 locking & 2 standard, in lieu of legs | ITEM TOTAL: \$1,333.33 ITEM TOTAL: \$1,559.00 | \$1,333. \$1,333. \$1,559 \$250 \$1,809 |
| | 17 | 1 ea 1 ea 1 ea 1 ea 1 ea 1 ea 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34" to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max* Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls ever 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, or iron broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP conversition kit) 2 year parts & labor warranty, standard 180 day warranty on cast iron grates, burners, & burner shields, standard RANGE, 36", 6 OPEN BURNERS Southbend Model No. S36D 5-Series Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) standard oven, snap action thermostat, removable cast iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 203,000 BTU, CSA, NSF Domestic Shipping, inside of North America Standard one year limited warranty (range) Gas type to be specified Casters, 2 locking & 2 standard, in lieu of legs FOODSERVICE DOOR Curtron Products Model No. SPD-20-AL-3684 | TEM TOTAL: \$1,333.33 Stry | \$1,333. \$1,333. \$1,559 \$250 \$1,809 |
| | 17 | 1 ea 1 ea 1 ea 1 ea 1 ea 1 ea 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34" to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls eve 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, ciron broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP converstion kit) 2 year parts & labor warranty, standard 180 day warranty on cast iron grates, burners, & burner shields, standard RANGE, 36", 6 OPEN BURNERS Southbend Model No. S36D 5-Series Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) standard oven, snap action thermostat, removable cast Iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 203,000 BTU, CSA, NSF Domestic Shipping, inside of North America Standard one year limited warranty (range) Gas type to be specified Casters, 2 locking & 2 standard, in lieu of legs | TEM TOTAL: \$1,333.33 Stry | \$1,333 \$1,333 \$1,559 \$250 \$1,809 |
| | 17 | 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps, 115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls ever 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, or iron broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP converstion kit) 2 year parts & labor warranty, standard 180 day warranty on cast iron grates, burners, & burner shields, standard RANGE, 36", 6 OPEN BURNERS Southbend Model No. 536D S-Geries Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) standard oven, snap action thermostat, removable cast iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 203,000 BTU, CSA, NSF Domestic Shipping, inside of North America Standard one year limited warranty (range) Gas type to be specified Casters, 2 locking & 2 standard, in lieu of legs FOODSERVICE DOOR Curtron Products Model No. SPD-20-AL-3684 Service-Pro® Series 20 Swinging Door, 36" x 84", .063" tempered aluminum with satin anodized finish, 9" x 14" | TEM TOTAL: \$1,333.33 Stry | \$1,333 \$1,333 \$1,559 \$250 \$1,809 |
| | 17 | 1 ea 1 ea 1 ea 1 ea 1 ea 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34° to 40°F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps,115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max® Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls eve 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, ciron broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP conversition kit) 2 year parts & labor warranty, standard 180 day warranty on cast iron grates, burners, & burner shields, standard RANGE, 36", 6 OPEN BURNERS Southbend Model No. S36D S-Geries Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) standard oven, snap action thermostat, removable cast iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 203,000 BTU, CSA, NSF Domestic Shipping, inside of North America Standard one year limited warranty (range) Gas type to be specified Casters, 2 locking & 2 standard, in lieu of legs FOODSERVICE DOOR Curtron Products Model No. SPD-20-AL-3684 Service-Pro® Series 20 Swinging Door, 36" x 84", .063" tempered aluminum with satin anodized finish, 9" x 14" window | TEM TOTAL: \$1,333.33 Stry | \$1,333 \$1,333 \$1,559 \$250 \$1,809 |
| | 17 | 1 ea | Atosa Chef Base, one-section, 35-5/8"W x 33"D x 26-3/5"H, side-mounted self-contained refrigeration, 4.7 cu. ft. self-closing drawers with recessed handles, digital temperature control, 34" to 40"F temperature range, includes 12 x 20 & (6) 1/6 stainless steel pans, stainless steel interior & exterior, 5" casters, R290 Hydrocarbon refrigerant, 1/7 HP, 2.3 amps, 115v/60/1-ph, cord, NEMA 5-15P, cETLus, ETL-Sanitation CHARBROILER, GAS, COUNTERTOP Star Model No. 6136RCBF Star-Max* Charbroiler, gas, countertop, 36" W, cast iron 40,000 BTU burners with adjustable manual controls eve 12", heavy stainless steel radiants, welded steel frame with stainless steel top and front, aluminized steel sides, of iron broiling grates, stainless steel water pan, splash guard & grease trough, 4" legs, 120,000 BTU, cULus, UL EPH (ships Natural gas includes LP converstion kit) 2 year parts & labor warranty, standard 180 day warranty on cast iron grates, burners, & burner shields, standard RANGE, 36", 6 OPEN BURNERS Southbend Model No. 536D S-Series Restaurant Range, gas, 36", (6) 28,000 BTU open burners, (1) standard oven, snap action thermostat, removable cast iron grate tops & crumb drawer, hinged lower valve panel, includes (1) rack, stainless steel front, sides, shelf, 4" front rail & 6" adjustable legs, 203,000 BTU, CSA, NSF Domestic Shipping, inside of North America Standard one year limited warranty (range) Gas type to be specified Casters, 2 locking & 2 standard, in lieu of legs FOODSERVICE DOOR Curtron Products Model No. SPD-20-AL-3684 Service-Pro* Series 20 Swinging Door, 36" x 84", .063" tempered aluminum with satin anodized finish, 9" x 14" window 9"W x 14"H Window, clear, standard | TEM TOTAL: \$1,333.33 Stry | \$1,333. \$1,333. \$1,559. |

| | | Napper randy duote | | |
|-------------|--------------------|--|-------------|-----------|
| item | Qty | Description | Sell | Sell Tota |
| 5 | | LAMINATE TABLE TOP | \$63.02 | \$63.0 |
| , | 1 00 | Oak Street Model No. UB3636-WB | | |
| | | Urban Table Top, square, 36", 2" thick, thermally infused laminate on both sides, with echo edge (2mm PV | C), | |
| # | | weathered barnwood | | |
| - | | | | |
| | | | | |
| | 1 ea | WARNING: This product can expose you to chemicals including Formaldehyde (gas), which is known to the State | of | |
| | | California to cause cancer. For more information go to www.P65Warnings.ca.gov. | | |
| | 1 ea | 1 yr. warranty against defects in material and workmanship, std. | | 4 |
| | | | ITEM TOTAL: | \$63.02 |
| 7 | 1 ea | LAMINATE TABLE TOP | \$63.02 | \$63.07 |
| | | Oak Street Model No. UB36R-WB | | |
| 10000200 | Note of Section 2. | Urban Table Top, round, 36" dia., 2" thick, thermally infused laminate on both sides, with echo edge (2mm PVC) | r | |
| | | weathered barnwood | | |
| | | | | |
| | | | | |
| | 1 ea | WARNING: This product can expose you to chemicals including Formaldehyde (gas), which is known to the State | of | |
| | | California to cause cancer. For more information go to www.P65Warnings.ca.gov. | | |
| | 1 ea | 1 yr. warranty against defects in material and workmanship, std. | | |
| | | | ITEM TOTAL: | \$63.0 |
| | 1 ea | CHAIR | \$82.02 | \$82.0 |
| - | | Oak Street Model No. CM-6058 | | |
| 7 | 7 | Outlander Dining Chair, solid beech seat and back in walnut stain, graphite metal frame, with footring, black not | 1- | |
| | | marring plastic glide | | |
| K | \Box | munity brazile Buse | | |
| 1 | ١, | | | |
| | 1 ea | WARNING: This product can expose you to chemicals including Formaldehyde (gas), which is known to the State | of | |
| | | California to cause cancer. For more information go to www.P65Warnings.ca.gov. | | |
| | | | ITEM TOTAL: | \$82.0 |
|) | 1 ea | BAR STOOL | \$96.39 | \$96.3 |
| · | | Oak Street Model No. BM-6058 | | |
| T | T | Outlander Bar Stool, solid beech seat and back in walnut stain, graphite metal frame, with footring, black non- | | |
| 1 | | marring plastic glide | | |
| k | Ш | manning Program Direct | | |
| 1 | L.) | | | |
| | 1 ea | WARNING: This product can expose you to chemicals including Formaldehyde (gas), which is known to the State | of | |
| | | California to cause cancer. For more information go to www.P65Warnings.ca.gov. | | |
| | | | ITEM TOTAL: | \$96.3 |
| l0 | 1 ea | BAR STOOL | \$76.46 | \$76.4 |
| | 100 | Oak Street Model No. WB122-BLK | | |
| | | Bar Stool, backless, 2-1/2" upholstered seat, solid beech frame, footrest, black finish, vinyl (seat ships unattache | ed) | |
| | λI | But Stool, Buckless, 2 2/2 apriliation betty some transfer and property of the stool of the stoo | • | |
| | 1 | | | |
| | ŗ | | | |
| | 1 ea | WARNING: This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of | of | |
| | | California to cause birth defects and/or other reproductive harm. For more information go to | | |
| | | www.P65Warnings.ca.gov. | | |
| | 1 ea | 1 yr. warranty against defects in construction and workmanship, std.; vinyls and upholsteries do not carry any | | |
| | 1 00 | warranties | | |
| | 1 00 | Standard vinyl | | |
| | | | | |
| | 1 ea | Standard Vinyl, Black | ITEM TOTAL: | \$76.4 |
| | | | | |
| 11 | 1 ea | BOTTLE COOLER | \$1,883.53 | \$1,883.5 |
| | | Atosa USA, Inc. Model No. MBC80GR | | |
| | } | Atosa Bottle Cooler, 80.5"W x 27.8"D x 36.62"H, self-contained side mount refrigeration, 21.2 cu. ft., (3) locking | | |
| | | sliding lids, digital temperature control, (5) epoxy coated partitions, includes bottle opener & cap catcher, stain | less | |
| • | | steel Interior & exterior, 2-1/2" casters, R290 Hydrocarbon refrigerant, 1/5 HP, 115v/60/1-ph, 2.8 amps, cETLus, | CIL- | |
| | | Sanitation | | |
| | 1 ea | 2 year labor & parts warranty, 5 years warranty on compressor | | |
| | | | ITEM TOTAL: | \$1,883.5 |
| | | | | |