

3#

| # | Equipment Name | Size (WxDxH) | Model/Serial # | Volts/Amper/ BTU | Hook-up | Room | Cost |
|----|--|------------------------|---|--|--------------------------------|------|-----------|
| ① | Walk-in Refrigerator <i>New - Liberty</i> | 13'x9'x8.5' | -- | Door Heat/light:115/20 Evap:115/20 Cond:208-230/30 | electric | 1 | 26,000.00 |
| ② | Walk-in Freezer (2) <i>New - Liberty</i> | 6'x9'x8.5' | -- | Door heat/light(x2):115/20(x2) Evap/Cond:208-230/40 | electric | 1 | |
| 3 | Fly Fan (with separate entry light on side) | 4'x1'x16" | | 115/7.4 | electric | 1 | |
| ④ | Seafood Wash Sink <i>chick</i> | 1'4"x1'8"x1' | <i>Rest. Equip</i> | -- | H2O/drain | 1 | 267.00 |
| ⑤ | Veggie Wash Sink | 1'4"x1'8"x1' | <i>Rest Equip</i> | -- | H2O/drain | 1 | 267.00 |
| 6 | Tea Area <i>might need extra prep sink</i> | 2'11.5"x1'5.5"x5'4.5" | 8748 05K34528748 | 120/2 | Electric/H2O/ Bill steal it | 1 | 75.00 |
| ⑦ | Reach-in Freezer <i>old - Packing Room</i> | 4'6"x2'6"x6'8" | 995217 | 115/14.8 | electric | 1 | 270.60 |
| ⑧ | Speed Rack <i>sheetrock</i> | 1'6"x2"x6' | -- | <i>Rest Equip -- 8x20</i> | <i>B#1 - B#2</i> | 1 | 1492.50 |
| ⑨ | Proofer <i>old</i> | 5'5"x2'9"x6'11" | RPB2W 10748-8/98 | 120/16.3 | electric | 1 | 500.00 |
| ⑩ | Fridge Proof <i>ss</i> | 2'3"x2'11"x6'7" | 7008345 | 115/11 | electric | 1 | 195.60 |
| ⑪ | Small Prep Table | 1'6.25"x2'2.25"x3'1" | <i>old</i> | -- | -- | 1 | 75.00 |
| ⑫ | Kettle <i>4 Steamers old - Packing shed</i> | 2'x2'x4'8" | ZPO511 SM1S003670 | 120/15 | Electric/ H2O/drain | 1 | 400.00 |
| ⑬ | Fryer <i>old</i> | 1'3"x2'6"x3'10" | 35C+ G03DA01C7C7 | 90,000 | LPgas | 1 | 200.00 |
| ⑭ | Fryer <i>old</i> | 1'3"x2'6"x3'10" | TK35 481284728 | 90,000 | LPgas | 1 | 200.00 |
| ⑮ | Saute <i>at end of hot line burner. old</i> | 3'x2'6"x4'5.75" | NG36 48-1421413 | 155,000 | LPgas | 1 | 125.00 |
| ⑯ | Grill <i>old</i> | 3'1.5"x2'8.38"x3'5.75" | GCRB-36H 80260211006 | 120,000 | LPgas | 1 | 397.00 |
| ⑰ | Oven(double stacked) <i>old</i> | 3'4"x3'.5"x6'3" | SG-22 8573040 | 115/11.6 | Electric/LPgas | 1 | 150.00 |
| 18 | Spice Rack | 7'2"x1'6"x2'10" | -- | -- | -- | 1 | 75.00 |
| 19 | Hand sink (2) | 1'7"x1'5"x3'1.5" | -- | -- | H2O/drain | 1 | 158.00 |
| ⑳ | Mixer <i>old</i> | 2'x2'6"x4'3.75" | 6206 984LCV22 | 115/7.8 | electric | 1 | 100.00 |
| 21 | Trash (2) | 2'x2'x2'8" | -- | -- | -- | 1 | 93.00 |
| ⑳ | Dry Storage | 3'11.5"x1'6"x6' | <i>Metro Shelving units -- from Jim's</i> | -- | -- | 1 | 100.00 |
| 23 | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 1 | 100.00 |
| 24 | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 1 | 100.00 |
| 25 | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 1 | 100.00 |
| 26 | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 1 | 100.00 |
| 27 | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 1 | 100.00 |
| ⑳ | Prep Tables (6) | 6'x2'6"x2'11.75" | <i>existing - Building #2 - Rest Equip</i> | -- | -- | 1 | 1197.00 |
| 29 | Bathroom | 8'x8'x8' | shower, toilet, mirror, etc. | -- | Electric/H2O Toilet/ Drain | 1 | 400.00 |
| 30 | Office | 8'x8'x8' | Stereo Install. Phone install Check pipe Building1&2 split | -- | Electric | 1 | 500.00 |
| ⑳ | Walk-in Cooler <i>New</i> | 20'x8'x8' | <i>Liberty Ref</i> | Door heat/light: | electric | 1 | -- |

| | # | Item | Dimensions | Make + Model / Recovery Rate | BTU | Electric / H2O | Quantity | Price |
|----|---|-------------------------------------|------------------------|---------------------------------|---|--------------------|----------|--------|
| 36 | | Water heater | 2'x2'x4' | Make + Model / Recovery Rate | | electric | 2 | 500.00 |
| 37 | | Dirty Dish Racks (2) | 4'x1'6" x2'11.75" | McKenzie | 6PM | Recess | 2 | 200.00 |
| 38 | | Sink 3 Compartment | 9'6"x2'3"x3'1.5" | w/drainboard 18" x2 | -- | H2O/Drain | 2 | 765.00 |
| 39 | | Dunnage Rack (Cambrios) | | -- | -- | -- | | |
| 40 | | Dish Washer | 12'x2'6"x5'7.25" | AF-3D 27176 | 120/9 | Electric/H2O/Drain | 2 | 500.00 |
| 41 | | Dirty Dish Table | 8'x3'x2'11.75" | -- | -- | -- | 2 | 250.00 |
| 42 | | Water Cooler | 1'x1'x3'6" | F323HB040-NE(RW-210) IA06103579 | 115/8 | electric | 1 | -- |
| 43 | | Misc. Shelf | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 150.00 |
| 44 | | Dryer (vented) | 3'x4'x4' | Sears Home Dryer | | electric | 2 | 300.00 |
| 45 | | Washer | 3'x4'x4' | Sears Home Washer | | Electric/H2O/drain | 2 | 400.00 |
| 46 | | Ice Machine | 1'10"x2'9"x6'4.75" | S420 020120815 | 115/12.3 | Electric/H2O | 2 | 200.00 |
| 47 | | Hood Fan (Make-up air single phase) | 16'x4'x4' | -- | 120/30 | Electric | 1 | |
| 48 | | Prep Table | 6'x2'6"x2'11.75" | -- | -- | -- | 2 | 199.50 |
| 49 | | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 100.00 |
| 50 | | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 100.00 |
| 51 | | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 100.00 |
| 52 | | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 100.00 |
| 53 | | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 100.00 |
| 54 | | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 100.00 |
| 55 | | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 100.00 |
| 56 | | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 100.00 |
| 57 | | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 100.00 |
| 58 | | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 100.00 |
| 59 | | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 100.00 |
| 60 | | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 100.00 |
| 61 | | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 100.00 |
| 62 | | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 100.00 |
| 63 | | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 100.00 |
| 64 | | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 2 | 100.00 |
| 65 | | Packing Table | 8'x3'x2'11.75" | White Sams Plastic Table | | -- | 2 | 199.50 |
| 66 | | Packing Tubs (on dunnage rack) | 2'4.25"x1'7.25"x1'3.5" | -- | -- | -- | 2 | 500.00 |
| 67 | | Office | 8'x8'x8' | -- | -- | electric | 2 | -- |
| 68 | | Hose (2) | 2'x2'x2' | -- | -- | H2O | 2 | 200.00 |
| 69 | | Walk-in Freezer | 4'x4'x8' | ICE ONLY (use old panels) | Door heat/light: 115/20 Evap/Cond: 208-230/40 | Electric | 2 | |
| 70 | | Air Dry Cooler w/dunnage | 6'x4'x8' | Rest Equip | -- | -- | 2 | |
| 71 | | Moveable Heaters | 2'x2'x3' | - Pull to Heater | -- | -- | | |

| | | | | | | | |
|-------|--------------------------------|---|--|------------------------------------|--------------|-------|-----------|
| 79 | Hand Carts (2) | 2'x2'x3' | -- | -- | -- | 3 | 158.00 |
| 80 | Trash | 2'x2'x2'8" | -- | -- | -- | 3 | 93.00 |
| 81 | Hose (2) | 2'x2'x2' | -- | -- | H2O | 3 | 68.00 |
| 82 | Can wash/mop/broom | -- | Mat dips, y-hose, hose, mop buckets, mop rack, broom rack, 8ft table | -- | 2x H2O/Drain | 3 | 300.00 |
| 83 ✓ | Flora (3) | 4'x1'6"x6' | -- | -- | -- | 3 | |
| 84 ✓ | Trellis | 4'x4'x8' | -- | -- | -- | 3 | |
| 85 ✓ | Floating Buffet | 4'x4'x8' | -- | -- | -- | 3 | |
| 86 | CresCor | 2'.75"x2'8"x4' | -- | -- | -- | 3 | |
| 87 | Gretel | 2'.75"x2'8"x4' | -- | -- | -- | 3 | |
| 88 | Beverage Cart | 4'x3'x6' | -- | -- | -- | 3 | |
| 89 | Misc. Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 3 | |
| 90 | President Grill | 6'3"x2'.5"x1'5.75" | MEV06ALP SMIZ017648 | -- | -- | 3 | |
| 91 ? | Black Oven | 2'6.25"x2'7.2"x2'11" | 6-30A 418465 | -- | -- | 3 | |
| 92 | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 3 | 100.00 |
| 93 | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 3 | 100.00 |
| 94 | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 3 | 100.00 |
| 95 | Dry Storage | 3'11.5"x1'6"x6' | -- | -- | -- | 3 | 100.00 |
| 96 | B&B Van | 8'x12'x7' | -- | -- | -- | 3 | 12,000.00 |
| 97 | Hang Down Electric | 6"x4"x2'6" | -- | 120 | Electric | 1 | |
| 98 | Grease Trap | <i>Plumb / Septic Tank</i> | -- | -- | -- | | |
| 99 | Vent Fan (x2) | 2'x2'x2' | -- | -- | Electric | 3 | |
| 100.1 | Floor Drain | 20 Ft trough 2 floor drains | -- | -- | -- | 1 | |
| 100.2 | Floor Drain | 14ft and 16 ft trough 3 floor drains | -- | -- | -- | 2 | |
| 100.3 | Floor Drain | 1 floor drain | -- | -- | -- | 3 | |
| 101 | Pot Filler Hose | 1'x1'x1' | -- | -- | H2O | 1 | |
| 102 | 20 Amp Circuit for lights (x2) | 1'x1'x1' | 6x 8' hanging lights at 10 ft 4 dual plug-ins | -- | electric | 3 | |
| 103 | Garage Door | 12'x6"x10' | -- | -- | Electric | 3 | |
| 104 | A/C | | 2x 5ton units (see Bill for zones) ? A/C offices ? | Penetration points are on the ends | electric | 1,2,3 | |
| 105 | Lights all over | Use 8 ft lights | -- | -- | electric | 1,2,3 | |
| 106 | Floor Drains | | -- | -- | -- | 1,2,3 | |
| 107 | 20 Amp Circuit for lights (x2) | For external shed | | | -- | 3 | |
| 108 | Emergency generator | | | | -- | 1 | |
| 109 | Pot Filler Hose | | | | H2O | 1 | |

Note: Building connector needs to be smaller

-Window--

-Trough Corners--

B Catering


| | | |
|---|---|---|
| <p>Evap MD # LSF090BM6K ^{230/2}</p> <p>6x9x8 Freezer</p> <p>Cond MD # M0H025L63CF</p> | <p>Evap MD # LSC156AMC2K ¹¹⁵ <i>54</i></p> <p>15x9x8 cooler</p> <p>Cond MD # M0H020D73CFT</p> | <p>Evap MD # LSF090BM6K ^{230/2}</p> <p>6x9x8 freezer</p> <p>Cond MD # M0H025L63CF</p> |
|---|---|---|

07
07

NOTE: Electrical Specs on Attached manufacturer cut sheets

| |
|--|
| <p>Evap MD # LSC156AMC2K ⁵⁴ <i>54</i></p> <p>8x20x8 cooler</p> <p>Cond MD # M0H020D73CFT</p> |
|--|

230



#1, #2
#31

208/230/101055

7

| Model | BTUH | 10" F | CFM | Dia. (in.) | Qty. | Total FLA | Shaded Pole | 208-230/1 | Heaters | Amps | L | H | D | OD | Inlet Suction | Connections | Approx. Net Wt. (lbs.) |
|--------|--------|-------|--------|------------|------|-----------|-------------|-----------|---------|------|--------|-----|-----|-----|---------------|-------------|------------------------|
| LSF035 | 3,500 | 700 | 2,100 | 12 | 1 | 1.0 | 1.0 | 3.9 | 29-3/4 | 15 | 13-1/2 | 1/2 | 5/8 | 1/2 | 1-1/8 | 124 | |
| LSF040 | 4,000 | 700 | 2,100 | 12 | 1 | 1.0 | 1.0 | 3.9 | 29-3/4 | 15 | 13-1/2 | 1/2 | 5/8 | 1/2 | 1-1/8 | 126 | |
| LSF047 | 4,700 | 650 | 1,900 | 12 | 1 | 1.0 | 1.0 | 3.9 | 29-3/4 | 15 | 13-1/2 | 1/2 | 5/8 | 1/2 | 1-1/8 | 129 | |
| LSF065 | 6,500 | 1,400 | 4,000 | 12 | 2 | 2.0 | 2.0 | 7.8 | 45-3/4 | 15 | 13-1/2 | 1/2 | 5/8 | 1/2 | 1-1/8 | 143 | |
| LSF075 | 7,500 | 1,300 | 3,900 | 12 | 2 | 2.0 | 2.0 | 7.8 | 45-3/4 | 15 | 13-1/2 | 1/2 | 5/8 | 1/2 | 1-1/8 | 145 | |
| LSF090 | 9,000 | 1,300 | 3,900 | 12 | 2 | 2.0 | 2.0 | 7.8 | 45-3/4 | 15 | 13-1/2 | 1/2 | 5/8 | 1/2 | 1-1/8 | 148 | |
| LSF120 | 12,000 | 2,100 | 6,000 | 12 | 3 | 3.0 | 3.0 | 11.7 | 61-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 160 | |
| LSF140 | 14,000 | 2,100 | 6,000 | 12 | 3 | 3.0 | 3.0 | 11.7 | 61-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 162 | |
| LSF160 | 16,000 | 2,600 | 7,500 | 12 | 4 | 4.0 | 4.0 | 15.7 | 77-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 181 | |
| LSF180 | 18,000 | 2,600 | 7,500 | 12 | 4 | 4.0 | 4.0 | 15.7 | 77-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 184 | |
| LSF200 | 20,000 | 3,250 | 9,000 | 12 | 5 | 5.0 | 5.0 | 19.6 | 93-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 191 | |
| LSF240 | 24,000 | 3,900 | 10,800 | 12 | 6 | 6.0 | 6.0 | 23.5 | 109-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 211 | |
| LSF280 | 28,000 | 3,900 | 10,800 | 12 | 6 | 6.0 | 6.0 | 23.5 | 109-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 214 | |
| LF041 | 4,100 | 690 | 2,100 | 12 | 1 | 1.0 | 1.0 | 3.9 | 29-3/4 | 15 | 13-1/2 | 1/2 | 5/8 | 1/2 | 1-1/8 | 128 | |
| LF068 | 6,800 | 1,380 | 3,900 | 12 | 2 | 2.0 | 2.0 | 7.8 | 45-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 144 | |
| LF080 | 8,000 | 1,380 | 3,900 | 12 | 2 | 2.0 | 2.0 | 7.8 | 45-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 147 | |
| LF102 | 10,200 | 2,170 | 6,000 | 12 | 3 | 3.0 | 3.0 | 11.7 | 61-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 159 | |
| LF136 | 13,600 | 2,760 | 7,500 | 12 | 4 | 4.0 | 4.0 | 15.7 | 77-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 180 | |
| LF170 | 17,000 | 3,450 | 9,000 | 12 | 5 | 5.0 | 5.0 | 19.6 | 93-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 190 | |
| LF204 | 20,400 | 4,140 | 10,800 | 12 | 6 | 6.0 | 6.0 | 23.5 | 109-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 200 | |
| LF235 | 23,500 | 4,140 | 10,800 | 12 | 6 | 6.0 | 6.0 | 23.5 | 109-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 203 | |

Models LSF/FF low profile, electric defrost unit coolers offer the same features as the air defrost models above and are available in 6 or 4 fins per inch models. Available with PSC motor option.

| Model | BTUH | 10" F | CFM | Dia. (in.) | Qty. | Total FLA | Shaded Pole | 115/1 | Motor | Amps | L | H | D | OD | Inlet Suction | Connections | Approx. Net Wt. (lbs.) |
|--------|--------|-------|--------|------------|------|-----------|-------------|-------|---------|------|--------|-----|-----|-----|---------------|-------------|------------------------|
| LSC040 | 4,000 | 730 | 2,100 | 12 | 1 | 1.8 | 1.8 | 1.8 | 29-3/4 | 15 | 13-1/2 | 1/2 | 5/8 | 1/2 | 1-1/8 | 128 | |
| LSC052 | 5,200 | 700 | 1,900 | 12 | 1 | 1.8 | 1.8 | 1.8 | 29-3/4 | 15 | 13-1/2 | 1/2 | 5/8 | 1/2 | 1-1/8 | 131 | |
| LSC065 | 6,500 | 650 | 1,900 | 12 | 1 | 1.8 | 1.8 | 1.8 | 29-3/4 | 15 | 13-1/2 | 1/2 | 5/8 | 1/2 | 1-1/8 | 134 | |
| LSC070 | 7,000 | 1,460 | 4,000 | 12 | 2 | 3.6 | 3.6 | 3.6 | 45-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 145 | |
| LSC090 | 9,000 | 1,400 | 3,900 | 12 | 2 | 3.6 | 3.6 | 3.6 | 45-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 148 | |
| LSC104 | 10,400 | 1,400 | 3,900 | 12 | 2 | 3.6 | 3.6 | 3.6 | 45-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 149 | |
| LSC120 | 12,000 | 1,300 | 3,900 | 12 | 2 | 3.6 | 3.6 | 3.6 | 45-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 151 | |
| LSC130 | 13,000 | 1,300 | 3,900 | 12 | 2 | 3.6 | 3.6 | 3.6 | 45-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 153 | |
| LSC140 | 14,000 | 2,100 | 6,000 | 12 | 3 | 5.4 | 5.4 | 5.4 | 61-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 163 | |
| LSC156 | 15,600 | 2,100 | 6,000 | 12 | 3 | 5.4 | 5.4 | 5.4 | 61-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 167 | |
| LSC180 | 18,000 | 1,950 | 5,400 | 12 | 3 | 5.4 | 5.4 | 5.4 | 61-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 169 | |
| LSC208 | 20,800 | 2,800 | 7,200 | 12 | 4 | 7.2 | 7.2 | 7.2 | 77-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 182 | |
| LSC208 | 20,800 | 2,800 | 7,200 | 12 | 4 | 7.2 | 7.2 | 7.2 | 77-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 182 | |
| LSC260 | 26,000 | 3,250 | 9,000 | 12 | 5 | 9.0 | 9.0 | 9.0 | 93-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 193 | |
| LSC312 | 31,200 | 3,900 | 10,800 | 12 | 6 | 10.8 | 10.8 | 10.8 | 109-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 204 | |
| LSC370 | 37,000 | 3,900 | 10,800 | 12 | 6 | 10.8 | 10.8 | 10.8 | 109-3/4 | 15 | 13-1/2 | 1/2 | 7/8 | 1/2 | 1-1/8 | 207 | |

Model LSC low profile, air defrost unit coolers are designed for maximum capacity with minimum headroom, space and energy. These units are suitable for use with R-22, R-502, or R-404A. The units are only 15" high and are designed to mount flush with top of the cooler. The LSC cabinet design features easy front access to electrical and refrigeration components. LSC units also feature extended model and capacity offering to better match with Climate Control condensing units. Advancements include optional plastic black fan guard design with wire guards; front-facing electric board for easy access and optimized space in end panels; improved drain pan design; Motor harness and solenoid harness are easier to access from the bottom of the coil. Solenoid harness come standard. Available with PSC motor option.



Terms & Conditions:
 Price is good for 60 days when scheduled for shipment within 120 days from the date of this Proposal.
 All prices are Net, and FOB - Carroll, IA 51401
 Terms are Cash in Advance unless other payment arrangements have been approved by CCI's credit department.
 Prices are based upon information submitted by the named Buyer. CCI is not responsible for unsubmitted specifications.
 Freight is estimated only and is quoted separately.
 Prices are subject to sales and use taxes unless proper tax exemption certificates are furnished at time of order entry.
 The consignee is responsible for freight damages that are beyond the control of CCI.
 The additional Terms Conditions stated on the reverse side of this document or otherwise accompanying this document are an integral part of this Proposal and are incorporated by reference.

| Qty | Description | Price | Accepted |
|-----------------|---|-----------------|------------------------------|
| 2 | MHO025L83CF (2) LSF09BMC8K | \$4,432.00 | <input type="checkbox"/> Yes |
| 1 | MHO20073CFT (1) LSC156AMC2K | \$2,147.00 | <input type="checkbox"/> Yes |
| 1 | Interior freezer ramps | \$598.00 | <input type="checkbox"/> Yes |
| 1 | 1 yr extended compressor warranty (CCI) | \$300.00 | <input type="checkbox"/> Yes |
| 1 | Ft on refrigeration | \$196.00 | <input type="checkbox"/> Yes |
| OPTIONS | | \$7,671 | |
| SUBTOTAL | | \$16,942 | |
| FREIGHT | | \$1,483 | |
| TOTAL | | \$18,425 | |

| # of Units | Description | Unit Price | Amount |
|------------|---|------------|---------|
| 1 | 9'0" x 27'0" x 8'0" Cooler/Freezer/Freezer Combo with 6-1/8" Stainless Steel Floor in freezers only U.L. Flame Spread Rated - U.L. Electric Approved - N.S.F. Approved 26 Ga. Stucco Galvanized Interior 26 Ga. Stucco Galvanized Exterior (1) 36" x 78" Cooler door (Self-closing) (3) Light Switch (3) Dial thermometer (1) Lag down style ceiling (1) 5-1/2" Wood perimeter polyurethane in freezers (1) 3-1/2" Wood perimeter polyurethane in cooler (1) Vinyl screed (3) Door closer/K-77 Latch and Strike (2) 36" x 78" Freezer door (Self-closing) (2) Heated door frame (3) Vapor proof light fixture (2) Pressure relief vent (1) 5-1/2" Common wall Ft approx 5861# to zip 28306 Revised Refrigeration, Combo configuration 1/30/08 | \$9,271 | \$9,271 |

Customer Job: Triple Combo
 Apx SqFt: 1107

| | |
|---|--|
| Submitted To: Liberty Refrigeration Attention: Wayne 5906 St. Michales Drive Fayetteville, NC 28306 | Proposal Date 10/5/2007 Representative: House Teske, David Customer Phone # (910) 223-0921 Customer Fax # (910) 429-0921 |
|---|--|

PROPOSAL # 84870

19705 Highway 30, Box 671
 Carroll, Iowa 51401
 Voice: (800) 764-6834
 Fax: (712) 792-6748





Walk-In Coolers & Freezers

19705 Highway 30, Box 671
 Carroll, Iowa 51401
 Voice: (800) 764-6834
 Fax: (712) 792-6748

PROPOSAL #
84867

Submitted To:
 Liberty Refrigeration
 Attention: Wayne
 5906 St. Michaels Drive
 Fayetteville, NC 28306

Proposal Date: 10/5/2007
 Representative: House
 Salesperson: Teske, David
 Customer Phone #: (910) 223-0921
 Customer Fax #: (910) 429-0921

Customer Job: 2 doors

Apx SqFt: 608

| # of Units | Description | Unit Price | Amount |
|------------|---|------------|---------|
| 1 | 8' 0" x 20' 0" x 8' 0" Cooler w/o Floor U.L. Flame Spread Rated - U.L. Electric Approved - N.S.F. Approved 26 Ga. Stucco Galvanized Interior 26 Ga. Stucco Galvanized Exterior (2) 36" x 78" Cooler door (Self-closing) (2) Vapor proof light fixture (1) 3-1/2" Wood perimeter polyurethane (2) Door closer/K-77 Latch and Strike (4) Spring loaded hinge (2) Dial thermometer (1) Lag down style ceiling (1) Vinyl screed (2) 3-way light switch Frt approx 2428# to zip 28306 Revised Refrigeration 1/30/08 Refrigeration quoted with mounted t-stat, sv, and bxv | \$4,416 | \$4,416 |

Please check boxes for approved options

| Qty | Description | Price | Accepted | OPTIONS | \$2,311 |
|-----|--|------------|------------------------------|------------------------------|----------------|
| 1 | MOH020D73CFT (1) LSC156AMC2K +35 deg coil | \$2,147.00 | <input type="checkbox"/> Yes | SUBTOTAL | \$6,727 |
| 1 | 4 yr extended compressor warranty (CCI) | \$100.00 | <input type="checkbox"/> Yes | *FREIGHT | \$851 |
| 1 | Frt on refrigeration | \$64.00 | <input type="checkbox"/> Yes | <i>*freight is estimated</i> | |
| | | \$0.00 | <input type="checkbox"/> Yes | | |
| | 208/230/60/3 Heatcraft Outdoor Preassembled Remote | \$0.00 | <input type="checkbox"/> Yes | TOTAL | \$7,578 |

Terms & Conditions:

Price is good for 60 days when scheduled for shipment within 120 days from the date of this Proposal.
 All prices are Net, and FOB - Carroll, IA 51401
 Terms are Cash In Advance unless other payment arrangements have been approved by CCI's credit department.
 Prices are based upon information submitted by the named Buyer. CCI is not responsible for unsubmitted specifications.
 Freight is estimated only and is quoted separately.
 Prices are subject to sales and use taxes unless proper tax exemption certificates are furnished at time of order entry.
 The consignee is responsible for freight damages that are beyond the control of CCI.
 The additional Terms & Conditions stated on the reverse side of this document or otherwise accompanying this document are an integral part of this Proposal and are incorporated by reference.

MAINTENANCE

Sinks - Maintenance

[Previous Page](#)

1 Compartment Sink

sku KJ0020



Stainless steel (304), 1 compartment sink, with no drainboard. 16" x 20" x 12" bowl size. 21"L x 25.5"D x 44.75"H. NSF.
\$267.00
Each

[Manufacturer Specs](#) [Freight Delivery](#)

Select quantity:

[▶ ADD TO CART](#)

[▶ SAVE TO WISH LIST](#)

[View Larger](#)


Didn't find what you're looking for? Please call or [email us](#) and we'll help you find what you need.

#4 + #5

STORAGE Pan & Can Racks

[Previous Page](#)

Mobile Sheet Pan Rack, Full Size sku TH0022



[View Larger](#)

★ Specials

Aluminum sheet pan rack. Full size, 20 pan capacity. 3" slide spacing. Mobile, includes casters. 20.5"W x 26.5"D x 69"H. NSF.
\$99.50
Each

! Freight Delivery

Select quantity:

[▶ ADD TO CART](#)

[▶ SAVE TO WISH LIST](#)

Didn't find what you're looking for? Please call or [email us](#) and we'll help you find what you need.

#8


PREPARATION

Work Tables, Grill Stands & Accessories

[Previous Page](#)



Stainless Steel Work Table - Duke



[View Larger](#)

Stainless steel work tables, with galvanized legs and adjustable undershelf. NSF. Available in multiple sizes. By Duke.

[Shipping Details](#)

| SKU | Description | Wishlist | Price | Qty |
|--------|--|--|------------------|------------------------------|
| 302241 | 24"W x 24"L x 36"H. | <input checked="" type="checkbox"/> Add to Wish List | \$147.00 Each | <input type="checkbox"/> #11 |
| 303241 | 24"W x 36"L x 36"H. <input type="checkbox"/> Manufacturer Specs | <input checked="" type="checkbox"/> Add to Wish List | \$157.00 Each | <input type="checkbox"/> |
| 304241 | 24"W x 48"L x 36"H. <input type="checkbox"/> Manufacturer Specs | <input checked="" type="checkbox"/> Add to Wish List | \$164.00 Each | <input type="checkbox"/> |
| 305241 | 24"W x 60"L x 36"H. <input type="checkbox"/> Manufacturer Specs | <input checked="" type="checkbox"/> Add to Wish List | \$189.00 Each | <input type="checkbox"/> |
| 306241 | 24"W x 72"L x 36"H. <input type="checkbox"/> Manufacturer Specs | <input checked="" type="checkbox"/> Add to Wish List | \$199.50 Each | <input type="checkbox"/> |
| 303302 | 30"W x 30"L x 36"H. | <input checked="" type="checkbox"/> Add to Wish List | \$157.00 Each | <input type="checkbox"/> |
| 303301 | 30"W x 36"L x 36"H. <input type="checkbox"/> Manufacturer Specs | <input checked="" type="checkbox"/> Add to Wish List | \$157.00 Each | <input type="checkbox"/> |
| 304301 | 30"W x 48"L x 36"H. <input type="checkbox"/> Manufacturer Specs | <input checked="" type="checkbox"/> Add to Wish List | \$167.00 Each | <input type="checkbox"/> |
| 305301 | 30"W x 60"L x 36"H. <input type="checkbox"/> Manufacturer Specs | <input checked="" type="checkbox"/> Add to Wish List | \$189.00 Each | <input type="checkbox"/> |
| 306301 | 30"W x 72"L x 36"H. <input type="checkbox"/> Manufacturer Specs | <input checked="" type="checkbox"/> Add to Wish List | \$199.50 Each | <input type="checkbox"/> |
| 303242 | 30"W x 24"L x 36"H. | <input checked="" type="checkbox"/> Add to Wish List | \$154.00 Each | <input type="checkbox"/> |
| 308301 | 30"W x 96"L x 36"H. | | \$298.00 | <input type="checkbox"/> |

Great values by e-mail - sign up for Sam's Club Insider

Search: GO!

Sam's Club > See All Categories > Office Products > Office Furniture > Storage & Filing > Shelving > Accessories

Category

- Ink & Toner
- Office Furniture
- Office Supplies
- Pens, Pencils & Markers

Safco® Industrial Wire Shelving-Add-on Unit

Be the first to write a review.



#366704

Select Quantity, then click "Add to Cart"

1 Delivery: \$135.86
Shipping Included

[Add to Cart](#)

Login for Lists [Add to List](#)

Overview

Add-On Unit, 48"Wx18"Dx72"H, 800 lb., Black, 1 EA.

Specifications

- Dust-free wire design
- Adjustable leveling feet with plastic caps to protect floors
- Flexible design allows for 1" shelf adjustments and modular expansion
- Add-on and starter units can be combined to expand your shelving system
- Each shelf holds 800 lbs.
- Easy collar-and-sleeve assembly requires no tools
- Units are 72" high
- Durable black power-coat finish

Additional Information

Warranty:

This product is covered by the SAM'S CLUB Member Satisfaction Guarantee.

Assembled Country of Origin:

USA


Components Country of Origin:

USA

Shipping

This item ships Office Preferred Delivery via small package carrier of the suppliers

Members Also Viewed



Safco Industrial Wire Shelving-Starter Unit #359935



Safco Industrial Wire Shelving-Extra Shelves #366025



Safco Industrial Wire Shelving-Add-On Unit #360089

Tell Me About

- Overview
- Specifications
- Additional Information
- Shipping
- Member Reviews

#22 -

27

#49 -

#64

472 - #78

#92 - #95

STORAGE
Dunnage Racks

[Previous Page](#)

Heavy Duty Aluminum Dunnage Rack



Dunnage racks, in heavy duty aluminum. 20" wide. In multiple sizes. By New Age.

[Shipping Details](#)

[View Larger](#)

| SKU | Description | Wishlist | Price | Qty |
|--------|-------------|--|--------------|--------------------------|
| TH3620 | 36" X 20". | <input checked="" type="checkbox"/> Add to Wish List | \$46.50 Each | <input type="checkbox"/> |
| TH4820 | 48" x 20". | <input checked="" type="checkbox"/> Add to Wish List | \$51.50 Each | <input type="checkbox"/> |
| TH6020 | 60" X 20". | <input checked="" type="checkbox"/> Add to Wish List | \$56.50 Each | <input type="checkbox"/> |

#70

ADD TO CART

Didn't find what you're looking for? Please call or [email us](#) and we'll help you find what you need.

#22 - #27
 #49 - #64
 #72 - #78
 #92 - #95