


Table of Contents

Safety Precautions	3
Installation	4
Controls.....	6
Operation	7
Function Settings	8
Food Holding Chart	9
Cleaning.....	10
Maintenance	11
Troubleshooting.....	12



CONFORMS TO UL STD. 197
CONFORMS TO ANSI/NSF STD. 4



Heated Holding Cabinets

Holding/Proofing Models:

#177HPI1812	Half Size • Insulated • Clear Door
#177HPIS1812	Half Size • Insulated • Solid Door
#177HPU1812	Half Size • Non-Insulated • Clear Door
#177HPI1836	Full Size • Insulated • Clear Door
#177HPU1836	Full Size • Non-Insulated • Clear Door
#177HPI1836DC	Full Size • Insulated • Clear Dutch Doors
#177HPI1836DS	Full Size • Insulated • Solid Dutch Doors
#177HPES1836	Full Size • Insulated • Solid Door
#177HPESDS1836	Full Size • Insulated • Solid Dutch Door
#177HPESC1836	Full Size • Insulated • Clear Door
#177HPESDC1836	Full Size • Insulated • Clear Dutch Doors

Holding Only Models:

#177HTIS1812	Half Size • Insulated • Solid Door
#177HEAT1836I	Full Size • Insulated • Clear Door
#177HEAT1836	Full Size • Non-Insulated • Clear Door
#177HTI1836DC	Full Size • Insulated • Clear Dutch Doors
#177HTI1836DS	Full Size • Insulated • Solid Dutch Doors


Warning:

Read and understand all INSTRUCTIONS before operating. Failure to follow the safety rules and other basic safety precautions may result in serious personal injury.



ICE DISPENSER


MODELS D45



D45 shown with optional
"Get Ice Here" decal

FEATURES

- Small footprint** – Takes up only 16" (406 mm) of counter space
- Intelligent** – Gravity ice dispensing with positive shut-off
- Large storage space** – D45 stores up to 45 lbs. of ice
- Easy to use** – Fully insulated one-piece thermoformed plastic storage hopper
- Drip tray** – Insulated drip tray
- Environmentally responsible** – Environmentally safe foam insulation
- Durable** – Stainless steel construction
- Merchandising** – D45 is available with optional "Get Ice Here" decal



PART NUMBER	DESCRIPTION
01601	D45 Ice dispenser, stainless steel exterior, lever activation
621058406	D45 Ice dispenser, stainless steel exterior, lever activation with "Get Ice Here" decal

TECHNICAL SPECIFICATIONS

ICE STORAGE CAPACITY..... D45: 45 lb (20 kg)
 DRAIN CONNECTIONS..... D45: 0.75" (19 mm) ID
 ELECTRICAL REQUIREMENTS .. 115 V / 60 Hz / 1 Amp
 SHIPPING WEIGHT..... D45: 67 lb (31 kg)

ELECTRICAL CONNECTION 6' (1.82 M) power cord
 with 125 V / 15 Amps
 3 prong ground plug

AGENCY LISTINGS.....



City of Los Angeles



© 2016 CORNELIUS

CATG8752-0816

IN THE U.S.A.
 Ph: 800.238.3600
 Fax: 800.258.0255

OUTSIDE THE U.S.A.
 Ph: 763.488.8200
 Email: webmaster@cornelius.com

101 Broadway Street West
 Osseo, MN 55369
 www.cornelius-usa.com

For more information or to place an order, contact your sales representative or authorized distributor.